



BRAND

Juno Lighting

DESCRIPTION

TC928 6 Inch Slope Ceiling Non-IC New Construction Housing for use in slope ceiling applications with a 7/12 to 12/12 pitch (30 to 45 degrees). Adjustable fixture height between 7.5 inch minimum to 9.06 inch maximum. For 2x8 or 2x10 construction. Designed for use in non-insulated areas. If installed where insulation is present, the insulation must be pulled back 3 inches from all sides of the housing. Adjustable to position lamp perpendicular to floor. One 120 volt, PAR38, PAR30, BR30, PAR16 or A19 medium base halogen/incandescent or LED equivalent lamp is required, but not included. Halogen and incandescent lamps dimmable using a standard incandescent dimmer. Consult lamp manufacturer for dimmer compatibility when using an LED equivalent lamp. Lamp type/wattage dependent upon housing/trim combination (see attached Juno manufacturer specification). UL listed for through-branch wiring, damp locations and IP. Wet location approved for covered ceiling applications with trim 603. 18.5 inch length x 9.1 inch width x 9.06 inch height. A complete fixture includes a housing and trim, sold separately.





TRIM COLOR	N/A
BODY FINISH	White
WATTAGE	150W
DIMMER	Standard 120V
DIMENSIONS	18.5"L x 9.1"W x 9.06"H
BULB NOT INCLUDED	
LAMP	1 x PAR38/Medium (E26)/150W/120V Halogen 1 x PAR38/Medium (E26)/120V LED 1 x A19/Medium (E26)/120V Incandescent 1 x A19/Medium (E26)/120V Incandescent 1 x A19/Medium (E26)/120V LED

Technical Information

CEILING TYPE	Sloped
HOUSING TYPE	New Construction Slope NON IC
HOUSING HEIGHT	9"

SPEC #	JUN26399
--------	----------



COMPANY	PROJECT	FIXTURE TYPE	APPROVED BY	DATE