

# Cirrus Channel Ceiling Flush D1 Direct Lens 5W



**Designer:** Gregory Kay

**Description:**

Cirrus Channel Ceiling Flush features a direct flat lens with 100 degree beam spread. Includes 5 watts, 24 volt LED per foot with choice of 2200K, 3500K, 4000K or 5700K color temperature, 85+ CRI LED, or 2700K or 3000K, 95+ CRI LED, 47 lumens per watt/235 lumens per foot. 50,000 hour average lamp life. Finish available in Satin Aluminum, Chrome, Satin Nickel, Antique Bronze, Satin Black or White. Sold in 12 inch increments up to 240 inches/20 feet. May be ordered in 3, 5, 8 or 10 inch increments upon request. Lengths greater than 120 inches will ship as two or more segments that join together. See attached manufacturer specification for exact lengths. Channel includes a split canopy that mounts on a standard junction box. May be ordered with a Slim Profile Channel Junction Box (C-1RE-JBOX), sold separately. Mounting clips (C-MCL) are included for use every 18 inches. Can be powered using a Class 2 electronic low voltage, 0-10V, or Lutron Hi-Lume power supply. 0-10 power supplies include a 24VDC 25, 60, 96, 2X96, 3X96 or 4X96 watt option. Electronic low voltage power supplies include a 24VDC 60, 100, 2X100, 3X100 or 4X100 watt option. Lutron Hi-Lume available in a 96 watt option. In-wall mounting kits available for select power supplies. See attached manufacturer specification for details.




Shown in: Satin Nickel

**List Price:** \$218.00  
**Our Price:** \$174.40

**Shade Color:** N/A  
**Body Finish:** Satin Nickel  
**Lamp:** 1 x LED/5W/24V LED  
**Wattage:** 5W  
**Dimmer:** Dimmable  
**Dimensions:** 12"L x 0.9"H x 0.9"W

**Technical Information**

**Luminous Flux:** 235 lumens  
**Lumens/Watt:** 47.00  
**Lamp Color:** 2700 K  
**Color Rendering:** 95 CRI  
**Beam Angle:** 100°  
**Lamp Life:** 50000 hours



Product Number: <b>EDG89129</b>			
Company:		Fixture Type:	Date: Feb 22, 2018
Project:		Approved By:	

Fax: (773) 883-6131

Phone: 866-954-4489

Address: 1718 W. Fullerton Ave. Chicago IL 60614

www.lightology.com