T4450 ^{3" Series}

Low Profile Regressed Trim

SPECIFICATIONS

TRIM	Powder coat painted or plated die-formed steel. Different finishes available. Painted finishes available with Marine Grade option.				
LAMP	MR16 20W MAX				
	This product was designed for MR16 halogen lamps. If you want to use the dimming option and you replace the MR16 lamp by an equivalent LED lamp, please refer regularly dimmer compatibility list on our Website.				
REFLECTOR	Standard: Anodized aluminum				
	Specular	Painted			
	Black (BK)	White (-01)			
	Clear (CL)	Black (-02)			
		Matte White (-11)			
CEILING CUTOUT	Ø 3-1/4" (82 mm)			
CERTIFICATION	cULus E174023 f	for damp locations			
WARRANTY	1 year for standard finishes, 2-year on "Marine Grade" finish.				






T4450-11-02 (illustrated)

COMPATIBLE HOUSINGS


	Remodel Housing	New Construction Housing	Insulated Housing	
HALOGENS	MR16 GU 5.3 20W IT4000E IT4000M	MR16 GU 5.3 20W NW4000E NW4000M	MR16 GU 5.3 20W ISMR4000M	

CODIFICATION EXAMPLE



ORDERING CODE

MODEL	TRIM FINISH			REFLECTOR	MARINE GRADE
T4450					
	-01	White	ANC	DIZED	MG (optional)
	-02	Black		Aluminum (standard)	May be applied on finishes:
	-03	Gold Plated 24K			-01, -02, -05, -06, -11 and -15
	-04	Chrome	SPE	CULAR	
	-04BR	Brushed Chrome	CL	Clear	
	-05	Architectural Bronze	BK	Black	
	-06	Antique Copper			
	-11	Matte White	PAI	T	
	-12BR	Brushed Nickel	-01	White	
	-13	Satin Nickel	-02	Black	
	-15	Mettalic Grey	-11	Matte White	



MARINE GRADE - Unless otherwise indicated, trims are for interior, cold and exterior locations where fixtures are not subjected to direct rain or snow exposure as in soffits. MARINE GRADE treatment is recommended for exterior, shower and high salinity environment uses.





2" (51 mm)

CONTRAST

1009, rue du Parc Industriel Lévis (Québec) G6Z 1C5 Canada Tel.: 1-888-839-4624 Fax: 1-877-839-7057

info@contrastlighting.com www.contrastlighting.com © 2015 Contrast Lighting M.L. Inc. All rights reserved

1/8" (3 mm)

Contrast Lighting reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.