

1718 W. Fullerton Ave Chicago, IL 60614 Tel: 773-770-1195 Fax: 773-935-5613 www.edgelighting.com info@edgelighting.com MS-A-_



904-MSA-02


Installation Instructions for Monorail Adjustable Standoff

IMPORTANT INFORMATION


- This product is ETL listed for indoor dry locations.
- The product is intended to be used with Edge Lighting Monorail systems only.
- Use Monorail standoffs where the Monorail sections join together and approximately every 3 feet throughout the Monorail run.


SAVE THESE INSTRUCTIONS!

Install the Standoff



- **1:** Hold the Monorail section against the ceiling or use a plumb bob to mark the standoff locations onto the ceiling (this may require more than one person).
- **2:** Tap the anchors onto the marked locations up to the threaded portion with a hammer.
- **3:** Screw in the threaded portion of the anchors with a Phillips screwdriver.
- 4: Feed the #8 screw through the countersunk side of the threaded nipple and washer. <u>Make sure the side of the washer with deeper countersunk is facing the anchor.</u>
- **5:** Tighten the #8 screw completely into the anchor.
- **6:** Tighten the threaded post completely onto the threaded nipple.
- 7: Repeat steps 4 through 6 for the remaining standoffs.





- 8: Remove the threaded housings from the conical nipples.
- **9:** Push the tab on the adjustable connector and feed the aircraft cable through the top of the tab.
- **10:** Pull the aircraft cable coming out of the side of the adjustable connector. Release the tab to lock the adjustable connector in place.
- 11: Repeat steps 9 and 10 for the remaining standoffs.

