

Tigris Mirror Oval Surface (LED)

700BCTIGOS26_-LED 1.0



GENERAL PRODUCT INFORMATION:




This product is suitable for indoor locations only.

This product may be dimmed with a low voltage electronic dimmer.


Bring power supply lines to the mirror in accordance with local electrical codes.

This instruction shows a typical installation.




CAUTION - RISK OF FIRE
 This product must be installed in accordance with the applicable installation code by a person familiar with the construction and operation of the product and the hazards involved.
 Use minimum 90°C supply conductors.

Install the Hardware




- 1** Locate the studs on the wall where the mirror is going to be mounted (Max 22-1/2" separation).
- 2** If necessary, use the center hole on the backplate to position the backplate on the wall.
- 3** Use minimum of four slots to mount the backplate to the studs with four screws and washers provided. Do not drive the screws all the way in at this time.




- 4** Bring the power line to one of the four circular holes on the backplate.
- 5** While holding the backplate level and in the desired position, tighten the four screws to secure it.

Prepare the Mirror for Installation




- 1** Loosen (do not remove) the two screws on top and bottom of the electrical box in the center of the pan.
- 2** Remove the electrical box lid.
- 3** Remove one knockout and install the provided conduit connector.

Install the Pan




- 1** Feed the power line wire through the conduit connector into the pan.
- 2** Place the four pan holes onto the four backplate threaded rods.




- 3** Tighten the four provided nuts to secure the pan onto the backplate.

Connect the Power



- 1** Connect the fixture to a suitable ground in accordance with local electrical codes.
- 2** Connect the neutral power line wire to the white fixture wire with a wire nut.
- 3** Connect the hot power line wire to the black fixture wire with a wire nut.

Attach the Lid & Mirror



- 1** Replace the lid onto the electrical box and tighten the two screws.
- 2** Carefully attach the mirror onto the hinge and tighten the two screws.

SAVE THESE INSTRUCTIONS!



7400 Linder Ave, Skokie, IL 60077

847.410.4400

www.techlighting.com

© 2016 Tech Lighting, L.L.C. All rights reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C. Tech Lighting reserves the right to change specifications for product improvements without notification.

A Generation Brands Company