ELECTRICAL SYMBOLS

- \$ SINGLE POLE SWITCH
- \$3 THREE-WAY SWICH
- \$4 FOUR-WAY SWITCH
- \$_□ DIMMER SWITCH
- \$_{D3} THREE-WAY DIMMER SWITCH
- U WALL BOX CONTROL
- MS MOTION SENSOR CONTROL
- HALF SWITCHED DUPLEX RECEPTACLE
- SWITCHED RECESSED FLOOR MOUNTED RECEPTACLE
- - \diamondsuit CEILING MOUNTED DECORATIVE
- IN GRADE MOUNTED FIXTURE
- O RECESSED FIXTURE
- O ADJUSTABLE RECESSED FIXTURE
 - RECESSED WALLWASH FIXTURE
- → WALL MOUNTED FIXTURE
- Image: Image
- STEP LIGHT

.

.

 $|\mathbf{O}|$

- TRACK OR RAIL LIGHTING SYSTEM
 - CABLE LIGHTING SYSTEM
 - 12V MAGNETIC LOW VOLTAGE TRANSFORMER
 - 124V 24V MAGNETIC LOW VOLTAGE TRANSFORMER
 - "PUCK" TYPE UNDER CABINET LIGHT
 - ➡ LINEAR LOW VOLTAGE STRIP SYSTEM
 - - SURFACE MOUNTED FLUORESCENT FIXTURE
 - RECESSED MOUNTED FLUORESCENT FIXTURE
 - S EXHAUST FAN
 - EXHAUST FAN WITH LIGHT
 - CEILING FAN

FIXTURE MODIFIERS

- ## TYPE DESIGNATION SEE FIXTURE SCHEDULE FOR SPECIFICATIONS
- < O GENERAL AIMING ARROW SHOWS MAIN DIRECTION OF FIXTURE
- SPECIFIC AIMING ARROW SHOWS SPECIFIC AIMING POINT OF FIXTURE
 - MOUNTING HEIGHT NOTE HEIGHT IS MEASURED AFF
- RAIL LIGHTING SHAPE INTENTION
 - TRACK LIGHTING AMING INTENTION

PROJECT NAME: ADDRESS: CONTACT:



