



**BRAND**

Juno Lighting

**DESCRIPTION**

IC22 6 Inch IC New Construction Housing is an energy efficient aluminum housing. IC designation allows for housing to be completely covered with insulation. Accommodates ceiling thickness up to 1 inch. When used with Air-Loc gasket (ALG6), stops infiltration and exfiltration of air, reducing heating and cooling costs. Trims shown with Air-Loc symbol do not require a gasket. One 120 volt, A19, BR30, BR40, PAR30, PAR20, R20 or PAR38 medium base incandescent/halogen or LED equivalent lamp is required, but not included. Lamp type and wattage dependent on housing/trim combination. Halogen/incandescent dimmable with a standard incandescent dimmer. Consult lamp manufacturer for dimmer compatibility when using an LED equivalent. UL listed for through-branch wiring and damp locations. Trims 239, 241 and 242 are wet location approved for covered ceiling applications. Trims 28 and 29 are wet location approved when used with outdoor rated lamps. 13.1 inch length x 7.5 inch width x 7.1 inch height. A complete fixture includes a housing and trim, sold separately.




Shown in: Aluminum

TRIM COLOR	N/A
BODY FINISH	Aluminum
WATTAGE	N/A
DIMMER	Dimmable
DIMENSIONS	13.1"L x 13.5"W x 7.1"H
BULB NOT INCLUDED	
LAMP	1 x PAR30S/Medium (E26)/120V Halogen 1 x PAR30S/Medium (E26)/120V LED 1 x PAR30L/Medium (E26)/120V Halogen 1 x PAR30L/Medium (E26)/120V LED 1 x BR30/Medium (E26)/120V Incandescent

*Technical Information*

CEILING TYPE	Drywall with Trim
HOUSING TYPE	New construction IC
HOUSING HEIGHT	7"
PRODUCT DIMENSIONS	Cutout: 6.88 inch

SPEC #	JUN25878
--------	----------



COMPANY	PROJECT	FIXTURE TYPE	APPROVED BY	DATE