


BAGATELLE 1241- _ _ _



1 Light
Diameter: 8"
Body Length: 9-1/2"
Hanging Weight: 5 lbs.


THIS DESIGN IS THE PROPRIETARY
TRADE DRESS/TRADEMARK OF
W SCHONBEK LLC.



 **SCHONBEK** | 1870


 **SCHONBEK** | 1870

								
MAX 100 W		110-120 V						

All electrical components must be installed by a licensed electrician in accordance with the National Electric Code and the appropriate local electrical codes.









20

You will need 1 - Type A19
40 Watts Recommended
100 Watts Max




21

Slide rosettes with flat side
facing towards you onto
the screws and secure with
balls provided.



BAGATELLE 1241- __ _R



1 Light
Diameter: 8"
Body Length: 9-1/2"
Hanging Weight: 5 lbs.


THIS DESIGN IS THE PROPRIETARY
TRADE DRESS/TRADEMARK OF
W SCHONBEK LLC.



 **SCHONBEK** | 1870


 **SCHONBEK** | 1870

								
MAX 100 W		110-120 V						

All electrical components must be installed by a licensed electrician in accordance with the National Electric Code and the appropriate local electrical codes.









20

You will need 1 - Type A19
40 Watts Recommended
100 Watts Max




21

Slide rosettes with flat side
facing towards you onto
the screws and secure with
balls provided.



BAGATELLE 1241- _____



1 Light
Diameter: 8"
Body Length: 9-1/2"
Hanging Weight: 5 lbs.


THIS DESIGN IS THE PROPRIETARY
TRADE DRESS/TRADEMARK OF
W SCHONBEK LLC.

 **SCHONBEK** | 1870



 **SCHONBEK** | 1870


								
MAX 100 W		110-120 V						

All electrical components must be installed by a licensed electrician in accordance with the National Electric Code and the appropriate local electrical codes.




9094/5





20

You will need 1 - Type A19
40 Watts Recommended
100 Watts Max



21

Slide rosettes with flat side
facing towards you onto
the screws and secure with
balls provided.

