



WARNING!

Be sure electrical power is OFF before and during installation or maintenance.
The luminaire must be installed by a qualified electrician, in accordance with all applicable local codes.

Ensure that the rated luminaire voltage requirements are compatible with the available mains supply in which it will be installed.
All LEDs are included in your lamp. Never touch the LED surface with your bare hands as this may reduce the life of your LED.
Do not alter, relocate or remove any electrical component.

Line: Balance
Family: Pendant
Description: Balance Accord Pendant 1446

Material: Natural Wood Veneer, MDF and Carbon Steel.
Weight: 5,15Kg / 11,35lbs

ASSEMBLING THE FIXTURE


Read carefully all the Assembly Instructions below, before starting the installation process. This assembly process requires the labor of two people to be done successfully.

① Notice that each metallic stem of the fixture is packed separately and dismantled in two separate parts, which are connected through some excess energy cable. Remove the protecting package from the pieces taking care to not harm any parts with cutting surfaces or objects. Also take special care to not take the two parts (A and B) of each stem too far apart, so the energy cable doesn't rupture. Lay the parts of the fixture on some horizontal surface in order to connect them, if needed use the protecting package to soften the surface and protect the parts from getting scratched or harmed.

② Once the protecting packages are removed, connect both parts of each metallic arm: align the lower arm (B) with the superior stem (A) inserting the excess energy cable inside of it. **Rotate only the superior stem (A) in order to fasten and lock both parts together.**

After all the metallic arms are assembled, insert, one of a time, each set of two metallic arms on both structure bases (C) through its openings. Notice that each metallic arm is unique and must be assembled on its own slot at the structure base. Check the labels on top of the metallic arms and on the bases, in order to assemble accordingly.

- ③ Pass the energy cable through the main openings of the base with the washer and nut above the base.
- ④ Insert the thread of the metallic arm in the circular hole.
- ⑤ Pre-fasten the nut in a way that it's loose enough for final adjustments in the last steps of the assembling process. The nut will be definitely fasten on step 12.



ATTENTION!

FAILURE TO COMPLY WITH THESE INSTRUCTIONS MAY CAUSE ACCIDENTS AND LOSS OF PRODUCT WARRANTY.
It's recommended to read these instructions completely and carefully before proceeding.

SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE.

ACCORD Lighting guarantees coverage against manufacturing defects including electrical components and finishes, for a period of three years, under normal use, from the date of purchase. For warranty service, please contact your local dealer for further instructions. Proof of date of purchase will be required for validation of warranty service.

The responsibility of the manufacturer regarding the product warranty is related to the correct observation of the instructions contained in this manual.
The manufacturer is not responsible for any damage to the product caused by accidents, alterations of any kind, improper usage or improper installation.
See the website for additional warranty details.

ACCORD Lighting reserves the right to change the dimensions and specifications contained in this manual without prior notice, in accordance with its policy of continuous product improvement. Please, contact the manufacturer if additional information is necessary. The illustrations in this manual are for guidance only and may vary in scale, dimensions and model details.

WARNING!




Be sure electrical power is OFF before and during installation or maintenance.
The luminaire must be installed by a qualified electrician, in accordance with all applicable local codes.

Ensure that the rated luminaire voltage requirements are compatible with the available mains supply in which it will be installed.
All LEDS are included in your lamp. Never touch the LED surface with your bare hands as this may reduce the life of your LED.
Do not alter, relocate or remove any electrical component.

Line: Balance
Family: Pendant
Description: Balance Accord Pendant 1446

Material: Natural Wood Veneer, MDF and Carbon Steel.
Weight: 5,15Kg / 11,35lbs

ASSEMBLING THE FIXTURE



- 6 Once both sets of two metallic arms are assembled on their respective bases, insert one of them on the canopy (D) lowering it down for the next steps.
- 7 Fit the base (E) to the bigger structural base (F) and lock them together fastening the provided screws (S05) from the top to the bottom.
- 8 After the first group of metallic arms are attached to the structural base, do the same with the the another one, repeating the steps 6 and 7.
- 9 With the two sets of metallic arms assembled in the structural base, join the canopy to the structural base, locking it with the provided screws (S03).
- 10 Rise the lower cover (G) to the canopy, locking them together with the provided locking screws (S04).
- 11 Once the superior part of the fixture is pre-assembled, insert the locking ring (H) through the center of the four metallic arms, taking care to not harm or scratch any surfaces. After the ring and stem holes are alligned, pre-fasten the provided screws (S 02) by hand in order to not harm the thread, then, finish the fastening with a crosstip screwdriver.
- 12 Notice that the alignment of the elements and the fastening of the screws will provide the final position of the metallic arms. Once it is done, the nuts found on the superior base can be threaded in order to lock the metallic arms definitely.

ATTENTION!



FAILURE TO COMPLY WITH THESE INSTRUCTIONS MAY CAUSE ACCIDENTS AND LOSS OF PRODUCT WARRANTY.
Its recommended to read these instructions completely and carefully before proceeding.

SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE.

ACCORD Lighting guarantees coverage against manufacturing defects including electrical components and finishes, for a period of three years, under normal use, from the date of purchase. For warranty service, please contact your local dealer for further instructions. Proof of date of purchase will be required for validation of warranty service.

The responsibility of the manufacturer regarding the product warranty is related to the correct observation of the instructions contained in this manual.
The manufacturer is not responsible for any damage to the product caused by accidents, alterations of any kind, improper usage or improper installation.
See the website for additional warranty details.

ACCORD Lighting reserves the right to change the dimensions and specifications contained in this manual without prior notice, in accordance with its policy of continuous product improvement. Please, contact the manufacturer if additional information is necessary. The illustrations in this manual are for guidance only and may vary in scale, dimensions and model details.

WARNING!




Be sure electrical power is OFF before and during installation or maintenance.
The luminaire must be installed by a qualified electrician, in accordance with all applicable local codes.

Ensure that the rated luminaire voltage requirements are compatible with the available mains supply in which it will be installed.
All LEDs are included in your lamp. Never touch the LED surface with your bare hands as this may reduce the life of your LED.
Do not alter, relocate or remove any electrical component.

Line: Balance
Family: Pendant
Description: Balance Accord Pendant 1446

Material: Natural Wood Veneer, MDF and Carbon Steel.
Weight: 5,15Kg / 11,35lbs

ASSEMBLING THE FIXTURE



- ⑬ With the overall structure of the fixture assembled, join the wooden domes to the metallic supports. Fit each dome to a metallic support through its superior opening, aligning the holes and fastening the provided screws (S01) to lock the dome in place.
- ⑭ Finish the fastening of the Philips screws located on the swivel joints base, in order to keep it tight.
- ⑮ Once the domes are all assembled and tight, join the electrical connectors from each rod to the connectors from the pre-assembled cable harness, pressing them together until you hear a "click". After the connections are finished, connect the flat cable wires to the mains supply at the junction box.

ATTENTION!



FAILURE TO COMPLY WITH THESE INSTRUCTIONS MAY CAUSE ACCIDENTS AND LOSS OF PRODUCT WARRANTY.
It is recommended to read these instructions completely and carefully before proceeding.

SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE.

ACCORD Lighting guarantees coverage against manufacturing defects including electrical components and finishes, for a period of three years, under normal use, from the date of purchase. For warranty service, please contact your local dealer for further instructions. Proof of date of purchase will be required for validation of warranty service.

The responsibility of the manufacturer regarding the product warranty is related to the correct observation of the instructions contained in this manual.
The manufacturer is not responsible for any damage to the product caused by accidents, alterations of any kind, improper usage or improper installation.
See the website for additional warranty details.

ACCORD Lighting reserves the right to change the dimensions and specifications contained in this manual without prior notice, in accordance with its policy of continuous product improvement. Please, contact the manufacturer if additional information is necessary. The illustrations in this manual are for guidance only and may vary in scale, dimensions and model details.

WARNING!



Be sure electrical power is OFF before and during installation or maintenance.
The luminaire must be installed by a qualified electrician, in accordance with all applicable local codes.


Ensure that the rated luminaire voltage requirements are compatible with the available mains supply in which it will be installed.
All LEDs are included in your lamp. Never touch the LED surface with your bare hands as this may reduce the life of your LED.
Do not alter, relocate or remove any electrical component.

Balance
Family: Pendant
Description: Balance Accord Pendant 1446

Material: Natural Wood Veneer, MDF and Carbon Steel.
Weight: 5,15Kg / 11,35lbs

MOUNTING THE FIXTURE

Once the overall structure of the fixture is assembled, the ceiling must be prepared to mount the fixture.



①⑥ Start removing the locking screws (S03) from the canopy.

①⑦ Low the outer canopy from the structural base in order to have some space to work.

①⑧ Place the provided template in the desired position and make the marks on the ceiling, then drill the holes and insert the plastic bushings.

①⑨ Pass the energy cable through the junction box cover, rise the fixture close to the junction box and make the electrical connections following all the applicable local codes. Insert the excess energy cable inside the junction box.

②⑩ Fasten the provided screws (S11) on the junction box cover in order to assemble it to the junction box.

②⑪ Fasten the provided screws (S06) on the structural base, attaching the fixture to the ceiling. Take care to not press or harm the energy cable.

②⑫ Rise the outer canopy and lock it at the structural base with the locking screws (S03).

Turn on energy power, the pendant is ready for use.

USER GUIDE

The wooden domes which houses the light sources are articulated. Hold the dome and rotate it in order to direct the light to the desired spot. Be careful to not exceed the swivel joint's articulation limit so it doesn't break.

It is recommended to use a mini LED bulb (E26 - A15) in this fixture. Due to the dome size a regular bulb size would come out of the dome causing excessive light glare.

ATTENTION!



FAILURE TO COMPLY WITH THESE INSTRUCTIONS MAY CAUSE ACCIDENTS AND LOSS OF PRODUCT WARRANTY.
Its recommended to read these instructions completely and carefully before proceeding.

SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE.

ACCORD Lighting guarantees coverage against manufacturing defects including electrical components and finishes, for a period of three years, under normal use, from the date of purchase. For warranty service, please contact your local dealer for further instructions. Proof of date of purchase will be required for validation of warranty service.

The responsibility of the manufacturer regarding the product warranty is related to the correct observation of the instructions contained in this manual.
The manufacturer is not responsible for any damage to the product caused by accidents, alterations of any kind, improper usage or improper installation.
See the website for additional warranty details.

ACCORD Lighting reserves the right to change the dimensions and specifications contained in this manual without prior notice, in accordance with its policy of continuous product improvement. Please, contact the manufacturer if additional information is necessary. The illustrations in this manual are for guidance only and may vary in scale, dimensions and model details.




WARNING!

Be sure electrical power is OFF before and during installation or maintenance.
The luminaire must be installed by a qualified electrician, in accordance with all applicable local codes.

Ensure that the rated luminaire voltage requirements are compatible with the available mains supply in which it will be installed.
All LEDs are included in your lamp. Never touch the LED surface with your bare hands as this may reduce the life of your LED.
Do not alter, relocate or remove any electrical component.

REF. 1446 - TEMPLATE
bottom view



ATTENTION!

FAILURE TO COMPLY WITH THESE INSTRUCTIONS MAY CAUSE ACCIDENTS AND LOSS OF PRODUCT WARRANTY.
It's recommended to read these instructions completely and carefully before proceeding.

SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE.

ACCORD Lighting guarantees coverage against manufacturing defects including electrical components and finishes, for a period of three years, under normal use, from the date of purchase. For warranty service, please contact your local dealer for further instructions. Proof of date of purchase will be required for validation of warranty service.

The responsibility of the manufacturer regarding the product warranty is related to the correct observation of the instructions contained in this manual.
The manufacturer is not responsible for any damage to the product caused by accidents, alterations of any kind, improper usage or improper installation.
See the website for additional warranty details.

ACCORD Lighting reserves the right to change the dimensions and specifications contained in this manual without prior notice, in accordance with its policy of continuous product improvement. Please, contact the manufacturer if additional information is necessary. The illustrations in this manual are for guidance only and may vary in scale, dimensions and model details.