


LASVIT

CONSTELLATION CASSIOPEIA MANUAL ^{UL}

PHASE DIMMING

by David Rockwell



Markings



Warnings

Warns you of high risk of damage to the fixture or injury.



Risk of electrical injury.

Warns you of high risk of injury should a live part be directly or indirectly touched.



Notice

Warns you about possible damage to the fixture.



Important

Important information regarding the usage of your fixture.



Note

Gives you general information about the usage of your fixture.

Please read this manual carefully and keep it in case you need assistance while performing maintenance and cleaning procedures.



Do not dispose of chandelier in your normal household waste. Chandelier must be wasted separately and recycled in an environmentally compatible manner.

General conditions



Risk of electrical injury.

- Before starting any procedures make sure that the power to the lighting fixture is switched OFF and secured against unauthorized, negligent or accidental switching on.



Warnings

- Installation and electrical wiring should be carried out by a qualified electrician to prevent any damage to health or property.
- This lighting fixture is to be mounted on fire proof surfaces.
- For indoor use only! Dry location only.
- The manufacturer shall not be held liable for any defects caused by unqualified handling of the lighting fixture.
- Lasvit is not liable any injuries or damage to the fixture or other property caused during installation or by improper fixing.
- Do not cover the lighting fixture with any material, it is necessary for the hot parts to be cooled by freely flowing air, otherwise there is a risk of fire.



Important

- Installation requires 3 persons.
- Fixing material is not part of the lighting fixture kit.
- Information about cleaning methods see in the Product care manual.
- Proper fixing is the responsibility of the customer.
- The light sources are replaceable only by the manufacturer.

Step-by-step installation

1. Canopy disassembly
2. Fixing
3. Electrical wiring
4. Lighting assembly

Other procedures

5. Light source replacement




Different fixing materials are needed for different ceiling structures. To reduce waste, fixing materials are not included. Consult a specialist to select suitable fixing materials and procedures for the fixture is highly recommended.


Pictures are for illustration only.

Package contents:

1x Light source assembly part A



1x Light source assembly part B



2x Screw



1x Allen key 2,5 mm




Layout bottom view




1/ Canopy disassembly

Step 1a/ Disassembly the canopy for both parts..





Step 1b/ Remove the ceiling holders.



2/ Fixing

The exact position of the fixing is marked on the layout.







First prepare a 4" J-Box with 50 lb capacity and PE cable, then you can proceed with the installation.

The exact position of the fixing is marked on the layout.

Step 2a/


1. Attach the layout to the ceiling.
2. Prepare 2x J-Box.
3. Remove the layout.







3/ Electrical wiring

Step 3a/ Connection both parts








Step 3c/ Connect lighting part on holderes



Step 3d/ Connect lighting part connector.



4/ Lighting assembly



5/ Light source replacement

In the event of a light source failure, please contact Lasvit.

Warranties and Warranty Terms and Conditions

1/ The warranty is defined in the Price Quotation, Price Agreement, Contract, or Order.

If the Price Quote, contract, or order is not issued, the warranty does not apply to resources, maintenance, service and cleaning.

The standard warranty on the goods is set for 2 years. Other agreed warranties must be specified in the Price Quotation, Price Agreement, Contract, or Order.

2/ As a basis for the claim, the customer must provide a valid contract, invoice, or other proof of payment.

Otherwise, the manufacturer reserves the right to refuse to provide a warranty, so keep the proof of product purchase carefully

3/ If the warranty applies to the defect found, the customer informs the seller by e-mail, telephone, or the Sales department of the manufacturer (Lasvit) and passes the required information (project number or light number, project or light name and describes the defect).

4/ The Sales Department proceeds on the basis of an internal customer complaint resolution directive.

5/ The manufacturer will analyse the occurrence of a disagreement with the customer or with the manufacturer after delivery of the non-conforming product to the manufacturer's premises.

6/ Once the analysis has been made, the Sales department is handed over the decision to accept or reject the complaint with an explanation.

7/ The Sales department agrees with the customer for further steps (e.g. repair or replacement date, etc. on the basis of customer and manufacturer possibilities). Unless otherwise agreed, the manufacturer is obliged to remove the defect within 30 days of the claim date at the manufacturer's expense.

8/ The warranty does not apply to:

- warranty on bulbs
- defects caused by the customer
- defects caused by a third party
- defects caused by regular usage
- defects caused by an installation contrary to the installation manual
- defects caused by inappropriate attachment or product connection
- defects caused by performed in contradiction with the Product care manual

- defects caused by the use of other than defined light sources
- defects caused by installation in premises that do not correspond to the nature of the light and its IP cover (intrusion protection).
- defects caused by force majeure

9/ The company LASVIT has the exclusive right to grant, deny or change the terms and conditions for the provision of warranty services.

Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

In case you need any assistance or have
any suggestion, please contact us at

www.lasvit.com

© Lasvit s.r.o. / Komunardů 32 / 170 00 Praha 7 /
Czech Republic T +420 481 120 810 / F +420 481 120 622 /
E customer.care@lasvit.com / www.lasvit.com