
CONTENTS



SAFETY INFORMATION

Only suitable for direct mounting on non-combustible surfaces.


Under no circumstances can Bell Pendants be mounted on normally flammable surfaces.

Suitable for dry or damp, indoor use only.


Maximum ambient temperature: 25° C

Note: Please contact a licensed electrician.


1. To customize the length of the provided 36-inch stem, cut cover tube to desired length. Then cut the inner threaded tube so that it remains 3/4" longer than the cover tube.



- 2. Install crossbar (A) to junction box (B) using #8-32 screws (C). It is recommended to pull the main wires out so they are accessible while making the main connection later.
- 3. Screw in the hang straight (D) onto the hickey (E) on the crossbar assembly the crossbar assembly.
- 4. Make the lead wire connection with the provided wago connectors (F). And connect the ground wire with the provided wago connector (G).




- 5. Feed the secondary wires from the fixture through the threaded tube (H) and cover tube (I).
- 6. Screw in the threaded tube (H) into the coupler (J)



Roll & Hill

CEILING INSTALLATION


- 7. Slide the threaded collar (K) and canopy (L) down the cover tube (I).
- 8. Then feed the secondary wires through the hang straight (D) and screw in the threaded tube (H) into the hang straight.
- Connect the secondary wires from the fixture to the LED driver with the provided wagos connectors (M). (Optional: Connect the 0-10V dimming wires (N) as needed)
- Then, raise the canopy (L) over the crossbar assembly, and secure it in place with threaded collar (K).




Roll & Hill

GLASS INSTALLATION

- 1. Unscrew the thumb nut (A) raising the arm fitter (B).
- 2. Slide the glass (C) at an angle into each arm slot one at a time, and rest the glass evenly on rubber pads (D).
- 3. Fit the arm fitter (B) over the glass, and secure with the thumb nut (A).



CONTENTS



SAFETY INFORMATION

Only suitable for direct mounting on non-combustible surfaces.


Under no circumstances can Bell Pendants be mounted on normally flammable surfaces.

Suitable for dry or damp, indoor use only.


Maximum ambient temperature: 25° C

Note: Please contact a licensed electrician.


1. To customize the length of the provided 36-inch stem, cut cover tube to desired length. Then cut the inner threaded tube so that it remains 3/4" longer than the cover tube.



- 2. Install crossbar (A) to junction box (B) using #8-32 screws (C). It is recommended to pull the main wires out so they are accessible while making the main connection later.
- 3. Screw in the hang straight (D) onto the hickey (E) on the crossbar assembly the crossbar assembly.
- 4. Make the lead wire connection with the provided wago connectors (F). And connect the ground wire with the provided wago connector (G).




- 5. Feed the secondary wires from the fixture through the threaded tube (H) and cover tube (I).
- 6. Screw in the threaded tube (H) into the coupler (J)



Roll & Hill

CEILING INSTALLATION

- 7. Slide the threaded collar (K) and canopy (L) down the cover tube (I).
- 8. Then feed the secondary wires through the hang straight (D) and screw in the threaded tube (H) into the hang straight.
- Connect the secondary wires from the fixture to the LED driver with the provided wagos connectors (M). (Optional: Connect the 0-10V dimming wires (N) as needed)
- Then, raise the canopy (L) over the crossbar assembly, and secure it in place with threaded collar (K).



GLASS INSTALLATION

- 1. Unscrew the thumb nut (A) raising the arm fitter (B).
- 2. Slide the glass (C) at an angle into each arm slot one at a time, and rest the glass evenly on rubber pads (D).
- 3. Fit the arm fitter (B) over the glass, and secure with the thumb nut (A).

