



roest®

Multi-Pendant Canopy

Installation instructions Instructions d'installation

Max 15W LED (per pendant), 2700K (recommended), GU10, 120V





English

Warnings

- Consult a licensed electrician before wiring to the ceiling.
- Install in a location that has plenty of room around the light.
- Keep away from direct sunlight.
- Maintain at least 12in (31cm) between the lamp and canopy.

Before installing

Disconnect power: Use voltmeter to verify that there is no voltage present on the switch wire.

Tip: Hang a card in the fuse box so no one accidentally turns on the power.

Check with a cable locator if there are no electrical lines running through the spot where you want to drill. Otherwise there can be a risk of short circuits.

Français

Avertissement

- Consulter un électricien agréé avant de câbler au plafond.
- Installer dans un endroit qui a beaucoup d'espace autour de la lumière.
- Tenir à l'écart de la lumière directe du soleil.
- Maintenir au moins 31 cm entre la lampe et la canopée.


Avant l'installation

Déconnecter l'alimentation: Vérifier à l'aide d'un testeur que le courant est bien coupé en sortie des fils d'alimentation.

Astuce: Accrocher une carte dans la boîte à disjoncteur divisionnaire afin que personne n'allume accidentellement le courant.

Vérifier avec un localisateur de câble s'il n'y a pas de fils électriques qui traversent l'endroit où vous voulez percer. Sinon, il peut y avoir un risque de court-circuit.





A1 Canopy Mounting Plate


Canopy Size Varies

Pendant cables come pre wired

La taille de la canopée varie


Les câbles suspendus sont pré-câblés

A2 Canopy Cover




B Socket type may vary depending on fixture type

Le type de prise peut varier en fonction du type de luminaire




D (x2)

3/4"



E (x3)

1 1/4"




F (x3)




1

-  **English**
Line
- Français**
Sous tension
-  **English**
Neutral
- Français**
Neutre
-  **English**
Ground
- Français**
Terre



2

2




Canopy Installation

- 1 Open box directly below installation location
- 2 Mount Canopy **Mounting Plate (A)** to ceiling, into blocking




3



English
GU10 LED Only
(Bulb not included)

Français
GU10 LED Seulement
(Ampoule non incluse)



English
Fasten cap

Français
fixer le capuchon

ROEST

Socket type may vary depending on fixture type



Seattle

3220 1st. Ave. S. Suite 400
Seattle, WA 98134
(206) 420-3912
seattle@graypants.com

Amsterdam

Herengracht 180
1016 BR Amsterdam
+31 (0) 20 820 8990
amsterdam@graypants.com