


Cuff

19513 rC

Sconce & Flush Mount





CAUTION:

Before starting, turn off power at main circuit panel.

ADVERTENCIA:


Antes de comenzar la instalación, apague la corriente en el tablero principal.

ATTENTION:

Coupez l'alimentation avant de proceder à l'installation.




Calling for backup? Scan above to contact our team.




www.RBW.com +1 212 388 0399 support@RBW.com © 2023, RBW Studio LLC

What's Included: Part Configurations May Vary



Item	Qty	Description
1	1	Package: Cuff
2	1	Package: Elliptical Glass Globe. Small
3	1	Package: 4" LED Module




Installation - Cuff and Glass

- 1. Place Cuff onto LED Module.
- 2. Thread Elliptical Glass tightly onto LED Module to secure Cuff.
- 3. Congratulations! End of guide.



4" LED Module 19512 rA

Low Voltage Input





CAUTION:

Before starting, turn off power at main circuit panel.

ADVERTENCIA:


Antes de comenzar la instalación, apague la corriente en el tablero principal.

ATTENTION:

Coupez l'alimentation avant de proceder à l'installation.




Calling for backup? Scan above to contact our team.



www.RBW.com +1 212 388 0399 support@RBW.com © 2023, RBW Studio LLC

Shade and Diffuser Configurations May Vary



your order confirmation for details.

Installation - LED Module


- 1. Connect Red (+) and Black (-) Sconce Wires to low voltage leads from externally located driver.
- 2. Fix LED Module Assembly to desired mounting surface with appropriate fasteners.
- 3. Congratulations! End of guide.

Page intentionally left blank



4" LED Module 19511 rA

AC Input





CAUTION:

Before starting, turn off power at main circuit panel.

ADVERTENCIA:


Antes de comenzar la instalación, apague la corriente en el tablero principal.

ATTENTION:

Coupez l'alimentation avant de proceder à l'installation.




Calling for backup? Scan above to contact our team.



www.RBW.com +1 212 388 0399 support@RBW.com © 2023, RBW Studio LLC

Shade and Diffuser Configurations May Vary



Installation - LED Module

- 1. Connect Black (L) and White (N) Sconce Wires to power feed, and connect ground strap (GND).
- 2. Fix LED Module Assembly to desired mounting surface with appropriate fasteners.
- 3. Congratulations! End of guide.

Page intentionally left blank