

BROKIS®

IVY FLOOR

IVY FLOOR - PC1132



COMPONENTS INCLUDED WITH UNIT:

1x IVY light
1x IVY base
1x power cable
7x LED light sources
7x glass shades
1x pair cotton gloves
1x installation manual
1x hex key size 1.5

WARNING:

The manufacturer assumes no liability for damage resulting from incorrect assembly. When unpacking the light, do so with regard for its material composition – the main components are made of glass.

Wear the cotton gloves included with the light when unpacking and assembling it.

Installation time: 20 minutes / 1 persons



BROKIS®

BROKIS S.R.O.
ŠPANILOVA 1315/25
163 00 PRAHA 6 - ŘEPY
CZECH REPUBLIC

ORG. ID 64940799
VAT ID CZ64940799
C 42174 MĚSTSKÝ SOUD
V PRAZE

TEL +420 567 211 517
TECHNICAL@BROKIS.CZ
INFO@BROKIS.CZ
WWW.BROKIS.CZ



CLEANING THE GLASS

BROKIS applies the highest possible quality standards in manufacturing its lights. Prior to shipping, each light undergoes several quality controls and stages of cleaning. Lights may require additional cleaning as a result of transportation, storage, and the amount of time that passes between packing in our plant and subsequent unpacking by the client. Therefore, we emphasize cleaning the lights prior to installation.

The glass must first be rinsed in hot water, with a dilution of a dish-detergent used to remove all foreign particles and dust. Eventually repeat this basic treatment, if necessary. Afterwards the glass must have a second cleaning using hot water, with a dilution of a de-greaser (such as ammonia or vinegar). The glass must then be thoroughly rinsed with running hot water. Eventually repeat this treatment, if necessary. The glass is then thoroughly dried with a paper towel or a clean soft cotton towel. Only re-assemble the glass to the lamp body, when completely cooled down.

Do not use mineral spirits, highly concentrated thinners, or other substances not intended for use on glass surfaces. Also: do not use products, containing silicones – since they will rapidly attract more dust and grease.


PRIOR TO SHIPPING, THE FUNCTIONALITY OF EACH LIGHT AND ITS COMPONENTS IS THOROUGHLY TESTED. THE MANUFACTURER ASSUMES NO LIABILITY FOR THE MISHANDLING OF PRODUCTS.



1. ASSEMBLING THE LIGHT



Wear the cotton gloves when unpacking the light.

1. Insert the metal light (branch) into the connector in the base.
2. Turn the cap to tighten it.
3. Lock the cap in place by tightening the set screw with the 1.5 hex key.




2. INSTALLING THE LED LIGHT SOURCES AND GLASS SHADES

Install the LED light sources in the fixtures. Next, screw the glass shades in place.



3. CONNECTING THE LIGHT

Insert the connector on the power cable into the connector on the light.
Plug the power cable into an electrical outlet and test the light.



4. DIASSEMBLING THE LIGHT

To uninstall the light, follow the above installation steps in reverse order.

