CRYSTORAMA

LIGHTING THE WAY FOR SIXTY YEARS

Crystorama.com

ASSEMBLY INSTRUCTION MODEL #LDL-901-TZ-TG





All electrical components must be installed by a licensed electrician in accordance with the National Electric Code and the appropriate local electrical codes.



Intertek

You will need 1-Medium base Bulb
60 Watts Recommended 100 Watts Max
USE LED BULBS FOR EXTENDED USE
THIS FIXTURE IS WET RATED

How to Install

1. Loosen the mounting plate from the frame.
   1)If the outlet box is around the center of the mounting plate,attach the mounting plate onto the outlet box using the two outlet box screws.
   2)If the outlet box is far off the center of the mounting plate,please proceed with the following steps:
   a.Place the mounting plate over the outlet box and mark 4 points on the wall surface at the center of the holes on the mounting plate.
   b.Drill the holes at the marked points and insert the wall anchors.
   c.Place the mounting plate over the outlet box and secure with the anchor screws.
2. Insert the glass bottom from the bottom of the frame to ensure the top of the glass is seated properly inside the top of the frame.Secure the glass with the clips at the bottom of the frame.
3. Attach the back plate to the mounting plate using the screws.
4. Install the bulb(not included) into the socket.

WARNING: This product can expose you to Lead,which is known to the State of California to cause cancer and/or birth defects or reproductive harm. For more information go to www.P65Warnings.ca.gov

CRYSTORAMA

LIGHTING THE WAY FOR SIXTY YEARS

Crystorama.com

ASSEMBLY INSTRUCTION MODEL #LDL-901-TZ-TG



Part Number

Part Numbers

A. Mounting Hardware
   (3)-Wire Nut
   (1)-Mounting Plate
   (4)-Plastic anchor and anchor Screw
   (1)-Green Ground Screw
   (2)-Outlet box screw
B. (1)-Back plate;14.25″x4.5″x0.8″H
   (XAR901TZTGBKP14.25IN)
C. (4)-Screws
D. (1)-Frame
E. (1)-Socket
F. (4)-Glass ;H10.75 "*W4"
   (XAR901GLA10.75IN)



Mounting plate

Glass Installation Diagram