BUSTER+PUNCH LONDON

[product. FORKED CEILING / SHADE / GLOBE

[type. CEILING LIGHT.]	
[detail. FORKED.]	
[process. ROUGH-CAST.]	
[region. NORTH AMERICA.]	

A ceiling light made from cast and machined metal, featuring our signature diamond-cut linear knurl pattern and fork detailing, refined by hand. Its shade is made from hand-spun metal and it comes with a handblown glass globe.










[size. MEDIUM.]

[info. MEASUREMENTS.]



[info. SPECIFICATIONS.]

Ceiling light 1x solid metal lamp holder E26 / 110-120 VAC / 60HZ Max 7W Bulb included cULus Listed SBLED

1x solid metal light shade 1x hand-blown glass globe E26 compatible

[info. FINISH & SKU NUMBERS.]		
[finish.]	[SKU.]	
🌑 🛑 Steel / Opal	NFC-863221	
🌍 🛑 Burnt Steel / Opal	NFC-893229	
🌑 🔵 Brass/ Opal	NFC-813199	
🌑 🌑 Steel / Smoked	NFC-853210	
🌍 🌑 Burnt Steel / Smoked	NFC-893230	
🏀 🌑 Brass / Smoked	NFC-813200	
🌍 🌑 Brass / Smoked	NFC-813200	

[info. CARE INSTRUCTIONS.]


Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to ageing.

[please. NOTE.]

DISCLAIMER: Always consult a trade professional when installing this light. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.

[size. LARGE.]

[info. MEASUREMENTS.]



[info. SPECIFICATIONS.]

Ceiling light 1 x solid metal lamp holder E26 / 110-120 VAC / 60HZ Max 7W Bulb included cULus Listed SBLED

1x solid metal light shade 1x hand-blown glass globe E26 compatible

[info. FINISH & SKU NUMBERS.] [finish.] [SKU.] Image: Steel / Opal NFC-853211 Image: Burnt Steel / Opal NFC-893231 Image: Brass/ Opal NFC-813201

Steel / Smoked NFC-853212 Burnt Steel / Smoked NFC-893232 Brass / Smoke NFC-813202

[please. NOTE.]

[info. CARE INSTRUCTIONS.]

Wipe with damp cloth with no loose hairs, avoid using any chemicals. All finishes are prone to ageing.

DISCLAIMER: Always consult a trade professional when installing this light. Buster + Punch is not responsible for the usage or feasibility of installation requirements. This product is not suitable for damp or wet environments.