Specification sheet 1/3

NJP MINI

Project name:	
Project type:	△→ ↑
Notes:	4.8"
	6.3"

Design

nendo

Product description

The fixture emits a softly diffused, downwardly directed, glare-free light. It fades in at a fixed light level when switched on and fades out when switched off. The timer function can be used to switch it off automatically after either four or eight hours. The fixture provides a broad light distribution for its relatively small size. The shade's white-painted interior helps to comfortably reflect the light. The stepless dimmer allows the light to be adjusted to a suitable level between 15 and 100%. The opening at the back of the lamp head emits a soft glow, illuminating the top of the arm to create further ambiance. The arm has a stationary angle of 15°, and it can rotate 342° around the base. The head can be tilted and rotated to direct the light.

Variant options

Color		Cable type		Light source	
Black		Bik		LED 2700K	
Brown rose		Wht			
Light aluminum grey					
Petrol blue					
Soft pink					
■ Taupe					
White					

Specification sheet

Light description

The fixture emits a softly diffused, downwardly directed, glare-free light.

Mounting

Cord type: White (White and soft pink finish), black (other finishes). Cord length: 8'. Switch: High/low/off button on the fixture head. LED driver: Separate, plugs into power outlet.

Information

The arm has a stationary angle of 15°. Head can tilt and rotate. The arm can rotate 342° around the base.

A single push button located at the lamp head controls on/off and dimming. Light turns on/off with light fading in/out. Stepless dimming of the light to a suitable level between 15 and 100%. Timer function to automatically turn off the light after a period of time, selectable between 4 hours or 8 hours. Function to set a fixed brightness level each time the lamp is connected to main power.

Material

Base: Steel. Arm and lamp head: Aluminum.

Weight


Min: 6.393 lbs Max: 6.393 lbs


Finish


Black, Brown rose, Light aluminum grey, Petrol blue, Soft pink, Taupe, White

Light distribution diagrams

For the full data set on all variants, see louispoulsen.com.







Specification sheet

Variant options

Color		Cable type	Light source	Variant number
	Black	Blk	LED 2700K	5744168122
) White	Wht	LED 2700K	5744168135
	Light aluminum grey	Blk	LED 2700K	5744168148
	Brown rose	Blk	LED 2700K	5744168151
	Soft pink	Wht	LED 2700K	5744168164
	Taupe	Blk	LED 2700K	5744168177
	Petrol blue	Blk	LED 2700K	5744168180