



VANISHING POINT 24VDC DUAL SUSPENSION

GRIP JACK CEILING COAXIAL CABLE CONNECTION SYSTEM

DESIGNED BY GREGORY KAY | ASSEMBLED IN AMERICA | US PATENT PENDING

REV 04.16.25



DESCRIPTION

The Vanishing Point 24VDC Dual Grip Jack Connection System allows a Pure Edge Linear Dual end feed coaxial cable to disappear into the ceiling (Dynamic Tunable White Systems, Linear Up Down Lights, and Dual Feed Modular, BIY, and MIYO systems). Available in two distinct mounting options for either drywall or millwork, the Vanishing Point dual grip jack system achieves the most minimal connection allowing for a refined and continuous architecture of any space. Remote power supply only (sold separately). Patent Pending. For custom quotes and layout assistance, send your drawings and ideas to our design team: design@PureEdgeLighting.com.

DRYWALL APPLICATION (PLASTER-IN)

VR - Remote Power Supply has NO visible canopy line, just the two small points of connection where the cables disappear into the ceiling. 24V remote power supply (order separately).

MILLWORK APPLICATION

V2MR - Connection point at ceiling 2.0" canopy sits flush in Millwork ceilings for a clean look. 24v remote power supply (order separately).

V2MP - Millwork flush mount 2.0" Canopy with ELV Power Supply included within J-Box. Round Canopy sits flush with a Millwork ceiling for a clean look. With Power.

REMOTE POWER SUPPLIES*, DIMMERS & CONTROLS (SOLD SEPARATELY)

24VDC, CLASS 2 WIRING

- [UNI Driver: Universal Dimming \(TRIAC, ELV, 0-10V\)](#)
- [0-10V](#): Requires two dimmers, one for intensity and one for color temperature
- [DMX Dynamic Color Changing](#): Must be used with PureEdge [Controllers](#)

*In-Wall Mounting and drop ceiling Kits available for select power supplies

ACCESSORIES

VR-CG - .043" Non-Power Cable Grip for Drywall

CONNECTION TYPES

24V Dual Grip Jack for Dynamic Tunable White (Remote Power Only) and fixtures with both Direct and Indirect light (Up and Down)

WARRANTY / LABELS

Prorated 5 year warranty. Assembled in America. ETL (Conforms to UL1598 and CSA 22.2 #250.0)

APPLICATIONS

Designed for indoor use only. Ideal applications in residential, commercial, retail, and hospitality environments include kitchens, living rooms, dining rooms, entryways, offices, conference rooms, architectural spaces, lobbies, large-scale public spaces, hotels, restaurants, and luxury health spas.

System	Type/Voltage	Finish
VR	DGJ24S	WH
VR* Vanishing Point 0.150" Connection Plaster in to Drywall, No Outline of Canopy at connection point. Order Remote 24 VDC Power Supplies Separately.	DGJ24S Dual Grip Jack 24 volt coaxial cable with plastic sheathing	WH White BK Black SN Satin Nickel BZ Bronze
V2MR Vanishing Point 2.0" Millwork Flush-Mount Canopy, Order Remote 24 VDC Power Supplies Separately		
V2MP** Vanishing Point 2.0" Flush-Mount Canopy with ELV 60W Power Supply fits in J-box, for use with Millwork		
*White Finish Only. **Not compatible with Tunable White, use remote power only		
System	Type/Voltage	
VR	CG	
VR Vanishing Point .043" Connection, Plastered in to Drywall. No Outline of Canopy at connection point	CG Non-Power Cable Grip - Max 33 lbs	

PROJECT	FIXTURE TYPE	DATE
---------	--------------	------


VANISHING POINT 24VDC DUAL SUSPENSION GRIP JACK CEILING COAXIAL CABLE CONNECTION SYSTEM




To Remote Power Supply (not included)




To Remote Power Supply (not included)




VR-DGJ24S
Vanishing Point Flush to dry wall, plaster in and paint, with Remote Power



V2MR-DGJ24S
Vanishing Point 2" Flush Canopy for Millwork with Remote Power




VR-CG
Non-Power Cable Grip for Drywall, plaster in and paint (Order Separately)



PROJECT		FIXTURE TYPE		DATE	
---------	--	--------------	--	------	--

VANISHING POINT 24VDC DUAL SUSPENSION

GRIP JACK CEILING COAXIAL CABLE CONNECTION SYSTEM



PROJECT		FIXTURE TYPE		DATE	
---------	--	--------------	--	------	--