Fixture Type:

Catalog Number:

Project:

Location:

WAC LIGHTING

Lotos 4" & 6" Round

Adjustable Downlight 5CCT

Model	Beam	Color Temp & CRI	Lumens	CBCP	Finish
❍ R4ERAR	❍ W 45°	2700K/3000K/3500K/4000K/5000K - 90	690 800	925 1020	❍ BK Black ❍ WT White

Example: **R4ERAR-W9CS-WT**
For custom requests please contact customs@waclighting.com

DESCRIPTION

The wafer-thin Lotos LED Recessed Kit with remote driver combines high quality light output and efficiency while eliminating the need for a large housing. This innovative design can beinstalled easily as a remodel or new construction with an optional frame-in kit sold separately. Lotos is available in a downlight version for general ambient lighting and anadjustable version with a gimbal that pivots 360 degrees on a hinge. Now available with 5-CCT options.



FEATURES

- 5-CCT Switchable between 2700K and 5000K
- Multiple LED array for uniform illumination
- Rotatable multi-axis gimbal ring
- Driver included
- 5 year warranty

SPECIFICATIONS


Color Temp:	2700K/3000K/3500K/4000K/5000K
Input:	120 -277 VAC,50/60Hz
CRI	90
Dimming:	ELV: 100-5% , TRIAC: 100-5%
Rated Life:	50,000 Hours
Mounting:	Heavy gauge retention clips secures fixture to ceiling
Standards:	ETL, cETL, Title 24 JA8 Compliant, Wet Location Listed
Construction	Steel with frosted TIR lens

FINISHES:



Black White

LINE DRAWING



R4ERAR

WAC Lighting retains the right to modify the design of our products at any time as part of the company's continuous improvement program. January 2026

WAC LIGHTING

Lotos 4" & 6" Round

Adjustable Downlight 5CCT

Fixture Type:

Catalog Number:

Project:

Location:

Model	Beam	Color Temp & CRI	Lumens	CBCP	Finish
❍ R6ERAR	❍ W 45°	2700K/3000K/3500K/4000K/5000K - 90	1290 1340	1920 1896	❍ BK Black ❍ WT White

Example: **R6ERAR-W9CS-WT**
For custom requests please contact customs@waclighting.com

DESCRIPTION

The wafer-thin Lotos LED Recessed Kit with remote driver combines high quality light output and efficiency while eliminating the need for a large housing. This innovative design can beinstalled easily as a remodel or new construction with an optional frame-in kit sold separately. Lotos is available in a downlight version for general ambient lighting and anadjustable version with a gimbal that pivots 360 degrees on a hinge. Now available with 5-CCT options.



FEATURES

- 5-CCT Switchable between 2700K and 5000K
- Multiple LED array for uniform illumination
- Rotatable multi-axis gimbal ring
- Driver included
- 5 year warranty

SPECIFICATIONS


Color Temp:	2700K/3000K/3500K/4000K/5000K
Input:	120 -277 VAC,50/60Hz
CRI	90
Dimming:	ELV: 100-5% , TRIAC: 100-5%
Rated Life:	50,000 Hours
Mounting:	Heavy gauge retention clips secures fixture to ceiling
Standards:	ETL, cETL, Title 24 JA8 Compliant, Wet Location Listed
Construction	Steel with frosted TIR lens

FINISHES:



Black White

LINE DRAWING



R6ERAR-W930-WT

WAC Lighting retains the right to modify the design of our products at any time as part of the company's continuous improvement program. January 2026

WAC LIGHTING

Lotos 4" & 6" Round

Adjustable Downlight 5CCT

Fixture Type:

Catalog Number:

Project:

Location:

ACCESSORIES

	Model	*Description*	*Finish*
	RER-FRAME	Lotos	