


# pyrite

Design by  
Studio Dechem



# bomma

bomma.cz

TECHNICAL SHEET  
FOR PENDANT LIGHT FIXTURES


# PYRITE

## small pendant

Design by  
Studio Dechem

### Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.



### LIGHTING DESCRIPTION

|                            |                                                                                                  |
|----------------------------|--------------------------------------------------------------------------------------------------|
| Size                       | 133 × 153 × 165 mm<br>5,2 × 6 × 6,5 inch                                                         |
| Cable                      | transparent 2,5 m / 98,4 inch                                                                    |
| Weight                     | +/- 0,8 kg / 1,76 lbs                                                                            |
| Glass                      | mouth-blown lead-free crystal in clear                                                           |
| Mounting + Metal sheet top | silver (polished stainless steel)<br>gold (polished stainless steel with nitride tittan coating) |
| Protection                 | IP 20                                                                                            |
| Nominal voltage            | 220-240V / A.C. 50 hz (EU)<br>110-120 V / A.C. 60 Hz (USA)                                       |
| Class                      | III. EU / II. USA                                                                                |

### LIGHT SOURCE

|             |                                                                         |
|-------------|-------------------------------------------------------------------------|
| Type        | G4, 1,2W LED, 100 lm                                                    |
| Base        | G4 (EU) / G4 (USA)                                                      |
| Voltage     | 12V, AC                                                                 |
| Temperature | 2700 K                                                                  |
| Color index | RA 90+                                                                  |
| Dimming     | Dimmable in constellations.<br>Single pendant is non-dimmable except UL |

### TRANSFORMER

|           |                           |
|-----------|---------------------------|
| Primary   | 100–240V, 50/60 Hz, 0,04A |
| Secondary | DC 700mA (0,5V–4V) 1x3W   |

### PACKAGING

|          |                                            |
|----------|--------------------------------------------|
| Material | Cardboard                                  |
| Size     | 185 × 165 × 165 mm<br>7,3 × 6,5 × 6,5 inch |


Origin: traditionally produced in the Czech Republic  
Intellectual property license holder: Bomma Czech Republic (EU)  
Represented by BMRC group s.r.o.

CERTIFICATES



# pyrite

Design by  
Studio Dechem



# bomma

bomma.cz

TECHNICAL SHEET  
FOR PENDANT LIGHT FIXTURES


# PYRITE

## large pendant

Design by  
Studio Dechem

### Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.



### LIGHTING DESCRIPTION

|                            |                                                                                                  |
|----------------------------|--------------------------------------------------------------------------------------------------|
| Size                       | 183 × 209 × 225 mm<br>7,2 × 8,2 × 8,9 inch                                                       |
| Cable                      | transparent 2,5 m / 98,4 inch                                                                    |
| Weight                     | +/- 1,9 kg / 4,2 lbs                                                                             |
| Glass                      | mouth-blown lead-free crystal in clear                                                           |
| Mounting + Metal sheet top | silver (polished stainless steel)<br>gold (polished stainless steel with nitride tittan coating) |
| Protection                 | IP 20                                                                                            |
| Nominal voltage            | 220-240V / A.C. 50 hz (EU)<br>110-120 V / A.C. 60 Hz (USA)                                       |
| Class                      | III. EU / II. USA                                                                                |

### LIGHT SOURCE

|             |                      |
|-------------|----------------------|
| Type        | G4, 1,2W LED, 100 lm |
| Base        | G4 (EU) / G4 (USA)   |
| Voltage     | 12V, AC              |
| Temperature | 2700 K               |
| Color index | RA 90+               |

Dimming  
Dimmable in constellations.  
Single pendant is non-dimmable except UL

### TRANSFORMER

|           |                           |
|-----------|---------------------------|
| Primary   | 100–240V, 50/60 Hz, 0,04A |
| Secondary | DC 700mA (0,5V–4V) 1×3W   |

### PACKAGING

|          |                                          |
|----------|------------------------------------------|
| Material | Cardboard                                |
| Size     | 230 × 220 × 220 mm<br>9 × 8,6 × 8,6 inch |

Origin: traditionally produced in the Czech Republic  
Intellectual property license holder: Bomma Czech Republic (EU)  
Represented by BMRC group s.r.o.

CERTIFICATES

