

# MODERN FORMS

## Dimming Compatibility

ID E1801040V0

**Product Family:**

**Sku Tested:** PD-20324

**Related Model**

**Test Voltage:** 120V

**Control Type:**

**Test Notes:** Refer to dimmer manufacturer's dimmer load rating for min and max fixture quantities per dimmer.

Manufacturer	Product	Model Number	Test Voltage (V)	Measured Dimming Range	Comments
				Low End	
<b>Adaptive Phase Dimmers</b>					
Control4	Adaptive	C4-APD120	120	5.0%	
Legrand	Adorne Touch (ELV)	ADTH700RMTUM1	120	20.0%	#VALUE!
Legrand	Adorne Touch (TRIAC)	ADTH700RMTUM1	120	22.0%	Not Recommended
Legrand	Radiant	RH703PTUW	120	22.0%	Start up flash at low dimming level; Flicker below 22%
Legrand	Adorne (ELV)	ADTP703TUW4	120	5.0%	
Legrand	Adorne (TRIAC)	ADTP703TUW4	120	6.0%	Not Recommended
Cooper	AL Series	AAL06	120	N/A	Flashing at all dimming levels
<b>Reverse Phase Dimmers (ELV)</b>					
Lutron	Nova T	NTELV-600	120	7.0%	
Lutron	Diva	DVELV-300P	120	7.0%	
Lutron	Maestro	MAELV-600	120	7.0%	
Lutron	Skylark	SELV-300P	120	7.0%	
Leviton	Illumatech	IPE04-1LZ	120	10.0%	Start up flash at low dimming level
Lutron	Maestro	RRD-6NA	120	6.0%	
Leviton	SureSlide	6615-POW	120	8.0%	Start up flash at low dimming level
Leviton	Decora	DSE06-10Z	120	8.0%	Start up flash at high dimming level
Lutron	Caseta	PD-5NE	120	6.0%	
Lutron	Homeworks	HRD-5NE	120	N/A	Flashing at all dimming levels
Leviton	Renoir II	AWSMT-EBW	120	7.0%	Start up flash at low dimming level
Lutron	Grafik-Eye	GRX-3103-A-G	120	5.0%	
<b>Forward Phase Dimmers (TRIAC)</b>					
Lutron	Maestro	MACL-153M-WH	120	14.0%	Not Recommended
Lutron	Diva	DVCL-153PD	120	16.0%	Not Recommended
Legrand	Adorne Paddle	ADPD453LW2	120	56.0%	Not Recommended
Lutron	Ariadni	AYCL-153PH	120	8.0%	Not Recommended
Lutron	Skylark	SCL-153P-WH	120	6.0%	Not Recommended
Lutron	Maestro	MA-600-WH	120	N/A	Not Recommended
Leviton	SureSlide	6674-POW	120	16.0%	Not Recommended
Lutron	Caseta	PD-6WCL	120	33.0%	Not Recommended
Legrand	Harmony	HCL453PW	120	16.0%	Not Recommended
Legrand	Radiant	RHCL453PW	120	N/A	Not Recommended

Perceived light level percentage is the square root of the measured light level percentage, per IESNA Lighting Handbook. This report reflects WAC's test results of a single fixture in single-pole wiring configuration for reference purposes; actual results may vary based on field conditions. Dimmer manufacturers may modify their product at any time, without notice to WAC Lighting, and therefore WAC Lighting cannot ensure future compatibility. For any questions on this report, please contact WAC Lighting Customer Service at 1-800-526-2588 or sales@wacighting.com.