

ARDITO 2-1/2"

READV1 Performance 1 / ELV
Lumileds Luxeon COB 1203
ERP ESS015W-0350-42

CONTRASTE**DIMMING INFORMATIONS**

- Dimmers used: ELV only
- Audible noise: None
- Number of units tested: 1 to 10

Company	Models	Codes	Types	Dimming Performances		
				Programmable	Dimming Range *	Optimal Performance **
LUTRON DISCONTINUED	SKYLARK	SELV-300P	ELV	NA	8% - 100%	8% - 100%
	DIVA	DVELV-300P	ELV	NA	8% - 100%	8% - 100%
	NOVA T	NTELV-600	ELV	NA	15% - 100%	15% - 100%
	RADIO RA2	RRD-6NA-WH	ELV	YES	2% - 100%	6% - 100%
	MAESTRO	MAELV-600 Slider	ELV	NA	12% - 100%	12% - 100%
	MAESTRO	MAELV-600 Pull Tab	ELV	YES	3% - 100%	7% - 100%
	MAESTRO	MRF2-6ELV-120	ELV	YES	3% - 100%	8% - 100%
	GRAFIK T	GTJ-5NEM	ELV	YES	3% - 100%	10% - 100%
	SPACER SYSTEM	SPSELV-600	ELV	NA	13% - 100%	13% - 100%
LEVITON	DECORA	DSE06-10Z	ELV	NA	5% - 100%	7% - 100%
	DECORA	IPE04-LAW	ELV	YES	6% - 100%	10% - 100%
	RENOIR II	AWSMT-EAW	ELV	NA	0% - 100%	8% - 100%
	RENOIR II	AWSMG-EB	ELV	NA	0% - 100%	8% - 100%
	VIZIA +	VPE06-1LZ	ELV	YES	2% - 100%	5% - 100%
	VIZIA	IPE04-1LZ	ELV	YES	5% - 100%	12% - 100%
	DECORA	6615-P	ELV	YES	11% - 100%	11% - 100%
	VISIA RF +	VRE06-1LZ	ELV	YES	13% - 100%	13% - 100%
COOPER	ASPIRE RF	RF9540-NDW	ELV	YES	3% - 100%	3% - 100%
	DEVINE	DAL06P-C4	ELV	YES	11% - 100%	11% - 100%
LEGRAND	PASS & SEYMOUR	H703PTUTC Min 6W	ELV	Auto	16% - 100%	16% - 100%

* Full Dimming Range

** Optimal Performance: Dimming range for ideal synchronized startup conditions

The use of incandescent dimmers with LED is not recommended by dimmer manufacturers.

For any compatibility problems, consult the dimmer manufacturer.

Note: Contrast Lighting cannot be held responsible of any compatibility problems between dimmers and Contrast Lighting fixtures.

CONTRASTE

1009, rue du Parc Industriel
Lévis (Québec) G6Z 1C5 Canada

Tel.: 1-888-839-4624 Fax: 1-877-839-7057

info@contrastlighting.com
contrastlighting.com

© 2019 Contrast Lighting M.L. Inc.
All rights reserved

Contrast Lighting reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

ARDITO 2-1/2"

READV1 Performance 1 / 0-10V
 Lumileds Luxeon COB 1203
 ERP ESS015W-0350-42

CONTRASTE

DIMMING INFORMATIONS

- Dimmers used: 0-10V
- Audible noise: None
- Number of units tested: 1 to 10

Company	Models	Codes	Types	Dimming Performances		
				Programmable	Dimming Range *	Optimal Performance **
LUTRON	DIVA	DVTV	0-10V	NA	9% - 100%	18% - 100%
	MAESTRO	MS-Z101-WH	0-10V	YES	13% - 100%	18% - 100%
	NOVA T	NTSTV-DV	0-10V	NA	15% - 100%	15% - 100%
LEVITON	DECORA	DS710-10Z	0-10V	NA	7% - 100%	29% - 100%
	ILLUMATECH	IP710-LFZ	0-10V	NA	9% - 100%	18% - 100%
	ILLUMATECH	IP710-DLZ	0-10V	NA	9% - 100%	15% - 100%

* Full Dimming Range

** Optimal Performance: Dimming range for ideal synchronized startup conditions

The use of incandescent dimmers with LED is not recommended by dimmer manufacturers.

For any compatibility problems, consult the dimmer manufacturer.

Note: Contrast Lighting cannot be held responsible of any compatibility problems between dimmers and Contrast Lighting fixtures.

CONTRASTE

1009, rue du Parc Industriel
 Lévis (Québec) G6Z 1C5 Canada

Tel.: 1-888-839-4624 Fax: 1-877-839-7057

info@contrastlighting.com
 contrastlighting.com

© 2019 Contrast Lighting M.L. Inc.
 All rights reserved

Contrast Lighting reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

ARDITO 2-1/2"

WARM DIMMING (WD)
Performance 1 / ELV
LTF Technology
ERP ESS015W-0350-42

CONTRASTE

DIMMING INFORMATION

- Dimmers used: ELV only (120V/277V)
- Audible noise: None
- Number of units tested: 1 to 10

* Full Dimming Range

** Optimal Performance: Dimming range for ideal synchronized startup conditions

Company	Models	Codes	Types	Dimming Performances		
				Programmable	Dimming Range *	Optimal Performance **
LUTRON	SKYLARK	SELV-300P	ELV	NA	3% - 100%	3% - 100%
	SKYLARK CONTOUR	CTRP-253P-WH	ELV	NA	5% - 97%	5% - 97%
	DIVA	DVRP-253P-WH	ELV	NA	5% - 99%	5% - 99%
	DIVA	DVELV-300P	ELV	NA	3% - 100%	3% - 100%
	NOVA T	NTELV-600	ELV	NA	6% - 100%	6% - 100%
	NOVA T	NTRP-250-WH	ELV	NA	10% - 96%	10% - 96%
	RADIO RA2	RRD-6NA-WH	ELV	YES	0% - 100%	3% - 100%
	MAESTRO	MRF2-6ELV-120	ELV	YES	0% - 100%	2% - 100%
	MAESTRO	MRF2S-6ELV120-WH	ELV	YES	1% - 99%	5% - 99%
	GRAFIK T	GTJ-5NEM-WH	ELV	YES	4% - 92%	4% - 92%
SPACER SYSTEM	SPSELV-600	ELV	NA	5% - 99%	5% - 99%	
LEVITON	DECORA	DSE06-10Z	ELV	NA	2% - 98%	2% - 98%
	DECORA	IPE04-LAW	ELV	SCREW	1% - 100%	4% - 100%
	RENOIR II	AWSMT-EAW	ELV	NA	0% - 96%	4% - 96%
	RENOIR II	AWSMG-EB	ELV	NA	0% - 96%	4% - 96%
	VIZIA +	VPE06-1LZ	ELV	YES	0% - 98%	2% - 98%
	Vizia	IPE04-1LZ	ELV	SCREW	1% - 90%	3% - 90%
	Decora	6615-P	ELV	SCREW	5% - 98%	5% - 98%
	Visia RF +	VRE06-1LZ	ELV	YES	5% - 100%	5% - 100%
COOPER	SKEY AL	SAL06P	ELV	WHEEL	4% - 96%	4% - 96%
	ASPIRE RF	RF9540-NDW	ELV	YES	7% - 96%	7% - 96%
	DEVINE	DAL06P-C4	ELV	WHEELS	5% - 96%	5% - 96%
LEGRAND	ADORE	ADTP703TUM4 Min 6W	ELV	AUTO	6% - 98%	NOT DETERMINED
	ADORE	ADTP700MMTUM2 Min 50W	ELV	AUTO	0% - 98%	NOT DETERMINED
	ADORE	ADTH700RMTU Min 50W	ELV	AUTO	0% - 98%	NOT DETERMINED
	ADORE	ADWR700MMTU Min 50W	ELV	AUTO	0% - 98%	NOT DETERMINED
	ADORE	ADTP700RMTU Min 50W	ELV	AUTO	0% - 98%	NOT DETERMINED
	ADORE	ADTH700RMTUW1 Min 50W	ELV	AUTO	0% - 98%	NOT DETERMINED
	WIRELESS UNIVERSAL	DRD4-W Min 25W	ELV	AUTO	0% - 100%	NOT DETERMINED
	PASS & SEYMOUR	H703PTUTC Min 6W	ELV	AUTO	0% - 100%	NOT DETERMINED
	PASS & SEYMOUR	H703PTUW Min 6W	ELV	AUTO	0% - 100%	NOT DETERMINED
	RADIANT	RH703PTUW Min 6W	ELV	AUTO	9% - 99%	8% - 99%
	RADIANT	LC2101-WH	ELV	MAN	0% - 99%	11% - 99%

The use of incandescent dimmers with LED is not recommended by dimmer manufacturers.

For any compatibility problems, consult the dimmer manufacturer.

Note: Contrast Lighting cannot be held responsible of any compatibility problems between dimmers and Contrast Lighting fixtures.

CONTRASTE

1009, rue du Parc Industriel
Lévis (Québec) G6Z 1C5 Canada

Tel.: 1-888-839-4624 Fax: 1-877-839-7057

info@contrastlighting.com
contrastlighting.com

© 2019 Contrast Lighting M.L. Inc.
All rights reserved

Contrast Lighting reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.

ARDITO 2-1/2"

WARM DIMMING (WD)
Performance 1 / 0-10V
LTF Technology
ERP ESS015W-0350-42

CONTRASTE

DIMMING INFORMATION

- Dimmers used: 0-10V only
- Audible noise: None
- Number of units tested: 1 to 10

Company	Models	Codes	Types	Dimming Performances		
				Programmable	Dimming Range *	Optimal Performance **
LUTRON	DIVA	DVTV + PP-DV	0-10V	NA	5% - 96%	35% - 96%
	NOVA	NFTV-WH + PPDV	0-10V	NA	6% - 96%	NOT DETERMINED
	MAESTRO	MS-Z101-WH	0-10V	YES	9% - 96%	29% - 96%
	NOVA T	NTSTV-DV	0-10V	NA	8% - 96%	NOT DETERMINED
	DIVA	DVSTV-WH	0-10V	WHEEL	4% - 96%	27% - 96%
LEVITON	DECORA	DS710-10Z	0-10V	NA	5% - 96%	25% - 96%
	ILLUMATECH	IP710-LFZ	0-10V	SCREW	5% - 96%	31% - 96%
	ILLUMATECH	IP710-DLZ	0-10V	SCREW	6% - 95%	27% - 95%
	RENOIR II	AWSWG-7DW	0-10V	NA	6% - 96%	27% - 96%
	Lumina RF	ZSD07-ADZ	0-10V	YES	4% - 96%	33% - 96%

* Full Dimming Range

** Optimal Performance: Dimming range for ideal synchronized startup conditions

The use of incandescent dimmers with LED is not recommended by dimmer manufacturers.

For any compatibility problems, consult the dimmer manufacturer.

Note: Contrast Lighting cannot be held responsible of any compatibility problems between dimmers and Contrast Lighting fixtures.

CONTRASTE

1009, rue du Parc Industriel
Lévis (Québec) G6Z 1C5 Canada

Tel.: 1-888-839-4624 Fax: 1-877-839-7057

info@contrastlighting.com
contrastlighting.com

© 2019 Contrast Lighting M.L. Inc.
All rights reserved

Contrast Lighting reserves the right to make changes in specifications and/or to discontinue any product at any time without notice or obligation and will not be liable for any consequences resulting from the use of this publication.