



DALS LIGHTING

Canada
80, de la Seigneurie blvd., E.
Blainville, Quebec J7C 4N1

U.S.A.
4383, NW 124th Ave.,
Coral Springs, Florida 33065


877.430.1818
info@dals.com
dals.com

MODEL IND4-DW

NAME Indirect

4 Inch Round Indirect LED Recessed Light

Imagine being able to create the perfect mood when dimming your lights. This is now possible with our Dim to Warm concept, generating a warm, exquisite glow to set the tone for your evening.




PROJECT

TYPE


DATE

QTY

NOTES



LIGHT DISTRIBUTION



*Lumen output measured at 3000k

QUICK SPECS

Size	4"
Watts (W)	9
Delivered lumens*	500
CRI	80
Voltage (v)	120
Beam angle (deg)	110
Cut hole size (in)	4-1/4"
Lifespan (hrs)	50 000
FT rating	FT6
Binning	3 SDCM
LED model	SMD 2835
Color temperature	3000K - 2000 K

ELECTRICAL DETAILS

Environment	Damp
Location	Indoor
Operating temp. (° C)	-20 to 40
IP rating	IP44
Input voltage (V)	100-135
Output voltage (V)	27
Output current (mA)	280
Power factor (%)	97
Driver type	Constant current
THD	≤ 30%
Certifications	ETL, FCC, ICES, IC, ASTM E283-04

ORDERING GUIDE

IND4-DW	-	Voltage	-	Finish
		BLANK - 120v Triac dimming		WH - White

CONSTRUCTION

Lens material	Acrylic
Optic type	Reflector
Finish type	Matte
Housing material	Aluminum

WHAT'S IN THE BOX

- LED recessed fixture
- Junction box
- 3x Push-in wire connectors
- Mounting hardware
- Instruction sheet

ACCESSORIES

[RFP-UNI](#)

Universal drilling plate

[RFP-46](#)

Drilling plate

ADAPTORS

[REC-CC-EXT8FT](#)
96" extension cord for recessed fixtures

[REC-CC-EXT20FT](#)
240" extension cord for recessed fixtures

RECOMMENDED DIMMER LIST*

Minimal buzzing noise may occur with some dimmers

WARRANTY

DALS offers a 5-year warranty from the date of purchase which covers repairs or replacement of defective parts of the housing, optics, and electronics. To contact DALS customer service call 1-877-430-1818 or send an e-mail to info@dals.com.



DALS LIGHTING

Canada
80, de la Seigneurie blvd., E.
Blainville, Quebec J7C 4N1


U.S.A.
4383, NW 124th Ave.,
Coral Springs, Florida 33065

877.430.1818
info@dals.com
dals.com

MODEL	IND6-DW
NAME	Indirect



6 Inch Round Indirect LED Recessed Light

Imagine being able to create the perfect mood when dimming your lights. This is now possible with our Dim to Warm concept, generating a warm, exquisite glow to set the tone for your evening.




PROJECT		TYPE	
DATE		QTY	

NOTES



LIGHT DISTRIBUTION



*Lumen output measured at 3000k

QUICK SPECS

Size	6"
Watts (W)	12
Delivered lumens*	750
CRI	80
Voltage (v)	120
Beam angle (deg)	110
Cut hole size (in)	6-1/2"
Lifespan (hrs)	50000
FT rating	FT6
Binning	3 SDCM
LED model	SMD 2835
Color temperature	3000K - 2200K

ELECTRICAL DETAILS

Environment	Damp
Location	Indoor
Operating temp. (° C)	-20 to 40
IP rating	IP44
Input voltage (V)	100-135v
Output voltage (V)	30
Output current (mA)	330
Power factor (%)	98
Driver type	Constant current
THD	<30%
Certifications	ETL, FCC, ICES, IC, ASTM E283-04

ORDERING GUIDE

IND6-DW	-		-	
		Voltage		Finish
		BLANK - 120v Triac dimming		WH - White



CONSTRUCTION

Lens material	Acrylic
Optic type	Reflector
Finish type	Matte
Housing material	Aluminum

WHAT'S IN THE BOX

- LED recessed fixture
- Junction box
- 3x Push-in wire connectors
- Mounting hardware
- Instruction sheet

ACCESSORIES

- [RFP-UNI](#)
- Universal drilling plate
- [RFP-46](#)
- Drilling plate

ADAPTORS

- [REC-CC-EXT8FT](#)
- 96" extension cord for recessed fixtures
- [REC-CC-EXT20FT](#)
- 240" extension cord for recessed fixtures

RECOMMENDED DIMMER LIST*

BRAND	MODEL	DIMMER SPECS	GRADE	MIN	MAX	MAX LOAD
Dals	SM-DIMSW Smart Dimmer*	Triac, 250W LED/CFL	Compatible	8	100	21
Lutron	DVCL-153PR-WH-C*	Triac, 150 W Dimmable CFL/LED	Compatible	6	99	13
Lutron	CTCL-153PDH-WH-C*	Triac, 150 W Dimmable CFL/LED	Compatible	6	99	13
Lutron	STCL-153PH-WH-C*	Triac, 150 W Dimmable CFL/LED	Compatible	1	98	13
Lutron	MACL-153MRHW-WHC*	Triac, 150 W Dimmable CFL/LED	Compatible	1	98	13
Lutron	MA-PRO-WH*	ELV, 250W LED/CFL	Compatible	2	98	21
Lutron	Caseta PD-5NE-WH-C*	ELV, LED—up to 250 W	Compatible	5	98	21
Lutron	Caseta PD-10NXD-WH*	Triac, LED—up to 250 W	Compatible	1	98	21
Leviton	6674*	Triac, 150 W Dimmable CFL/LED	Compatible	8	99	13
Leviton	PL06-10Z*	Triac, 150 W Dimmable CFL/LED	Compatible	6	99	13
Leviton	DSL06-1LZ*	Triac, 150 W Dimmable CFL/LED	Compatible	6	99	13
Legrand	RHL373PW*	Triac, 250W LED	Compatible	4	97	21
Control 4	C4-APD120-WH	ELV, 120W LED	Compatible	1	99	10
Control 4	C4-FPD120-WH	Triac, 200W LED	Compatible	1	99	17
TP-Link	HS220*	Triac, 150 W, Dimmable LED (MLV)	Compatible	4	99	13

*With Low-End Adjustment Feature
Minimal buzzing noise may occur with some dimmers

WARRANTY

DALS offers a 5-year warranty from the date of purchase which covers repairs or replacement of defective parts of the housing, optics, and electronics. To contact DALS customer service call 1-877-430-1818 or send an e-mail to info@dals.com.