




REV.12.28.16



**D1**




**R1**



**T1**

Warm White 100° 7 Watt	
Distance	Foot Candles
2ft	126
3ft	62
4ft	39
6ft	20
8ft	12

FJ  
Fast Jack  
Connector  
(included)



**Description:**

Cirrus Float features a direct (D1), rectangular (R1) or a tubular (T1) lens, offering an array of choices for style, functionality and beam distribution. At 7 watts per foot, the 12VAC Cirrus Float fixtures contain very warm white or warm white 92+CRI LEDs. Available in lengths from 36 inches to 72 inches. May be ordered in 3, 6 or 9 inch increments. See chart on page 4 for exact lengths. Adapted for easy compatibility with Edge Fast Jack Canopies, fixtures allow flexible mounting to mono-point or multi-port canopies. Fast Jack Cirrus Float fixtures include Fast Jack (FJ) Connectors that mount to canopies. Cirrus features adjustable aircraft cables that slide across the length of fixture for flexibility in mounting to the canopies. Hardware and supporting cables are Antique Bronze for Antique Bronze and Black fixtures and are Satin Nickel for all other finishes. Power cables are Satin Nickel for all finish options. Fixture includes a 5 year warranty.

**System Compatibility:**

Fast Jack (FJ) LED Canopies required. See page 3 of spec sheet for additional details.

**Fixture Finish:**

Satin Aluminum, Satin Nickel, Chrome, Antique Bronze, Satin Black and White; Custom finishes available

**Fast Jack Connector Finish:**

Antique Bronze and Black fixtures include Antique Bronze connectors; all other finishes include Satin Nickel connectors

**Lamp:**

Version	Watts per Foot	Lumens		92CRI 27K, 30K	50,000 Hour Lamp Life
		per Watt	per Foot		
<b>D1</b>	7	34	241	●	●
<b>R1</b>	7	36	262	●	●
<b>T1</b>	7	36	268	●	●



Lumen values are based on the 3000K LED test.

**Applications:**

Indoor - Architectural lighting, general lighting and retail  
Mount fixture 70" above finished floor

**Channel Suspension Swag Hook (sold separately):**

Swag Hook extends a cable to an electrical box not located directly above desired fixture location.





PROJECT: \_\_\_\_\_ FIXTURE TYPE: \_\_\_\_\_ DATE: \_\_\_\_\_



# CIRRUS FLOAT FOR FAST JACK 120V/12VAC FIXTURE, 92+CRI

REV.12.28.16



Satin Aluminum Anodized



Satin Nickel Anodized



Antique Bronze Anodized



Satin Black Anodized



Chrome Plated



White Powder Coated

PROJECT:

FIXTURE  
TYPE:

DATE:



# FAST JACK POWER FEED LED CANOPIES REQUIRED FOR FAST JACK CIRRUS FLOAT

REV.12.28.16



**FJP-2RD-LED-\_-**  
Fast Jack 2" Round LED Canopy



**FJP-2SQ-LED-\_-**  
Fast Jack 2" Square LED Canopy



**FJP-4RD-LED-\_-**  
Fast Jack 4" Round LED Canopy



**FJP-4SQ-LED-\_-**  
Fast Jack 4" Square LED Canopy



**FJP-4SF-LED-\_-**  
Fast Jack 4" Round  
Surface Mount LED Canopy



**FJP-26RE-LED-2-\_-**  
Fast Jack 26" Linear  
2-Port LED Canopy



**FJP-26RE-LED-3-\_-**  
Fast Jack 26" Linear  
3-Port LED Canopy



**FJP-12RD-LED-3-\_-**  
Fast Jack 12" Round  
3-Port LED Canopy



**FJP-12RD-LED-4-\_-**  
Fast Jack 12" Round  
4-Port LED Canopy



**FJP-16RD-LED-5-50W-\_-**  
Fast Jack 16" Round  
5-Port LED Canopy



**FJP-16RD-LED-7-50W-\_-**  
Fast Jack 16" Round  
7-Port LED Canopy



**FJP-16RD-LED-9-50W-\_-**  
Fast Jack 16" Round  
9-Port LED Canopy

PROJECT:

FIXTURE  
TYPE:

DATE:



Please refer to chart below for exact lengths Cirrus Float for Fast Jack

ORDERING CODE	LENGTH (INCHES)
36	37.1
48	49.1
60	61.1
72	73.1

PROJECT:

FIXTURE  
TYPE:

DATE:

