


Top View



Side View

**Description:**

Accepts input voltage of 120VAC and outputs 24VDC power up to 2x60 watts. Can be used as a dimmable or non-dim Power Supply\*. Power Supply features short circuit and overload protection. Indoor applications only.

*\*Electrical Panels using Seimens/Murray AFCI breakers are not compatible with this ELV transformer. Use 0-10 Volt power supplies with this breaker.*

**Applications: Indoor\***

\*To avoid overheating the power supply, install it in a ventilated remote location where air flows. Maintain proper spacing among power supplies when multiple power supplies are installed in the same remote location.

**Power Input:**  
120VAC, 50/60Hz

**Power Output:**  
Class 2; 24 volts DC 2 x 2.5A, 2x60 watts maximum

**Dimensions:**  
12.15" x 6.48" x 2.18"


**Dimmer Type:**

Legrand: Adorne ADTP703TU  
Lutron: Diva DVELV-300P, Skylark SELV-300P, Maestro MAELV-600 and Radio RA 2

Product	Wattage	Dimming	Voltage
<b>PSB</b>	<b>2X60W</b>	<b>ELV</b>	<b>24VDC</b>
Power Supply with Enclosure Box	2x60 Watt	Electronic Low Voltage Dimming	24 Volt DC

2X60W, 24VDC LOW VOLTAGE WIRE SIZE CHART: 3% VOLTAGE DROP

WIRE LENGTH (FT)	UP TO 53FT	54FT-82FT	83FT-137FT
WIRE SIZE	14 AWG	12 AWG	10 AWG



PROJECT	FIXTURE TYPE	DATE
---------	--------------	------