

Fase¹ 1LT

Trimless GU10 Multiple

BY EUROFASE

PROJECT: _____

TYPE: _____ DATE: _____

NOTES: _____



TRIMLESS

TE211GU10

HOUSING

- 18 gauge powder coated steel housing
- Remodel housing complete with adjustable mounting clips suitable for 1/2" and 5/8" drywall
- New construction plate, insulated ceiling box and airtight IC box sold separately (refer to housing options) *

MESH PLATE

- Steel mesh plate (included)
- Perforated perimeter allows mud to bond to mounting surface leaving a seamless finish in the ceiling

LAMPING

- GU10 base, max wattage 50W Halogen lamp
- Lamp not included
- Horizontal adjustment: 0° - 35°

ELECTRICAL

- Integral electrical junction box
- Junction box has two 1/2" and four 3/4" knockouts for through branch circuit wiring
- Thermally protected
- Input voltage: 120V

DIMENSIONS

- Cut hole: 4 3/16"L x 4 3/16"W
- Fixture: 4"L x 4"W x 6 3/4"H



CUSTOMIZATION

- For customization, please consult Eurofase



Compatible
with LED GU10

PRODUCT DIMENSION:




Mesh plate included




4 3/16"L x 4 3/16"W

FINISHES:



-01 Black/Black



-02 White/White

ORDERING GUIDE:

MODEL	FINISH
TE211GU10	-01 Black
	-02 White

EXAMPLE : TE211GU10-01

N/C Plate and IC Box Options (SOLD SEPARATELY):

24063-012

NEW CONSTRUCTION PLATE



Cut Hole 4 3/16"L x 4 3/16"W
Dimension 11"L x 9"W x 1 3/8"H

30378-018
24083-010

AIRTIGHT IC BOX
INSULATED CEILING BOX



Cut Hole 4 3/16"L x 4 3/16"W
Dimension 11"L x 9"W x 9 1/2"H

Fase¹ 2LT

Trimless GU10 Multiple

BY EUROFASE

PROJECT: _____

TYPE: _____ DATE: _____

NOTES: _____



TRIMLESS

TE212GU10

HOUSING

- 18 gauge powder coated steel housing
- Remodel housing complete with adjustable mounting clips suitable for 1/2" and 5/8" drywall
- New construction plate, insulated ceiling box and airtight IC box sold separately (refer to housing options) *

MESH PLATE

- Steel mesh plate (included)
- Perforated perimeter allows mud to bond to mounting surface leaving a seamless finish in the ceiling

LAMPING

- GU10 base, max wattage 50W Halogen lamp
- Lamp not included
- Horizontal adjustment: 0° - 35°

ELECTRICAL

- Integral electrical junction box
- Junction box has two 1/2" and four 3/4" knockouts for through branch circuit wiring
- Thermally protected
- Input voltage: 120V

DIMENSIONS

- Cut hole: 8 5/8"L x 4 3/16"W
- Fixture: 8 5/8"L x 4"W x 6 3/4"H



CUSTOMIZATION

- For customization, please consult Eurofase




Compatible
with LED GU10

PRODUCT DIMENSION:




8 5/8"L x 4 3/16"W

FINISHES:



-01 Black/Black



-02 White/White

ORDERING GUIDE:

MODEL	FINISH
TE212GU10	-01 Black
	-02 White

EXAMPLE : TE212GU10-01

N/C Plate and IC Box Options (SOLD SEPARATELY):

24064-019

NEW CONSTRUCTION PLATE



Cut Hole 8 5/8"L x 4 3/16"W
Dimension 8 5/8"L x 8 3/4"W x 1 3/8"H

30379-015

AIRTIGHT IC BOX

24084-017

INSULATED CEILING BOX



Cut Hole 8 5/8"L x 4 3/16"W
Dimension 20 1/8"L x 12 1/8"W x 11 1/4"H

Fase¹ 3LT

Trimless GU10 Multiple

BY EUROFASE

PROJECT: _____

TYPE: _____ DATE: _____

NOTES: _____



TRIMLESS

TE213GU10

HOUSING

- 18 gauge powder coated steel housing
- Remodel housing complete with adjustable mounting clips suitable for 1/2" and 5/8" drywall
- New construction plate, insulated ceiling box and airtight IC box sold separately (refer to housing options) *

MESH PLATE

- Steel mesh plate (included)
- Perforated perimeter allows mud to bond to mounting surface leaving a seamless finish in the ceiling

LAMPING

- GU10 base, max wattage 50W Halogen lamp
- lamp not included
- Horizontal adjustment: 0° - 35°

ELECTRICAL

- Integral electrical junction box
- Junction box has two 1/2" and four 3/4" knockouts for through branch circuit wiring
- Thermally protected
- Input voltage: 120V

DIMENSIONS

- Cut hole: 12 5/8"L x 4 3/16"W
- Fixture: 12 1/8"L x 4"W x 6 3/4"H



CUSTOMIZATION

- For customization, please consult Eurofase



Compatible
with LED GU10

PRODUCT DIMENSION:




Mesh plate included




12 5/8"L x 4 3/16"W

FINISHES:



-01 Black/Black



-02 White/White

ORDERING GUIDE:

MODEL	FINISH
TE213GU10	-01 Black
	-02 White

EXAMPLE : TE213GU10-01

N/C Plate and IC Box Options (SOLD SEPARATELY):

24065-016

NEW CONSTRUCTION PLATE

30379-015

AIRTIGHT IC BOX

24085-014

INSULATED CEILING BOX



Cut Hole 12 5/8"L x 4 3/16"W
Dimension 19 3/4"L x 8 3/4"W x 1 3/8"H



Cut Hole 12 5/8"L x 4 3/16"W
Dimension 19 3/4"L x 8 3/4"W x 9 1/2"H