

JANEIRO

Decorative flushmount series offering a complete range of sizes and lamp options. Diffuser made with triplex blown glass for excellent light diffusion. Body is painted white with matt opal white glass and hidden screws. Wall or ceiling mount to a standard 4" octagonal junction box.



8.5" INCANDESCENT

LAMPING

Source	1 X 60W E26
Total power	1 X60W
Emission	DIFFUSED
Switching	dimnable
Tension	120V
IP class	20
Dimensions	Ø 8.5" x 4.2" H
Materials	glass + metal

Codes

M330

Structure/Diffuser


White/Opal White Glass

PACKAGE

Package 01

Dimension: 13" x 13" x 9" inches / Gross weight: 4 lbs

Certificazioni



10" LED

LAMPING

Source	15W, 1260 LM, 3045K
Total power	15W
Emission	DIFFUSED
Switching	Triac wall dimming switch; Recommended dimmer: Lutron Toggler C-L, Part No. TGCL-153PH
Tension	120V
Color temperature	3045K
Luminous flux	1260 LM
Typ CRI	85
IP class	20
Dimensions	Ø 10" x 4.2" H
Materials	glass + metal

Codes

M334LED


Structure/Diffuser

White/Opal White Glass

PACKAGE

Package 01	Dimension: 16" x 16" x 7" inches / Gross weight: 4 lbs
------------	--

Certificazioni



12" LED

LAMPING

Source	15W, 1260 LM, 3045K
Total power	15W
Emission	DIFFUSED
Switching	Triac wall dimming switch; Recommended dimmer: Lutron Toggler C-L, Part No. TGCL-153PH
Tension	120V
Color temperature	3045K
Luminous flux	1260 LM
Typ CRI	85
IP class	20
Dimensions	Ø 12" x 4.3" H
Materials	glass + metal

Codes

M338LED


Structure/Diffuser

White/Opal White Glass

PACKAGE

Package 01	Dimension: 16" x 16" x 7" inches / Gross weight: 6 lbs
------------	--

Certificazioni



14.5" LED

LAMPING

Source	15W, 1260 LM, 3045K
Total power	15W
Emission	DIFFUSED
Switching	Triac wall dimming switch; Recommended dimmer: Lutron Toggler C-L, Part No. TGCL-153PH
Tension	120V
Color temperature	3045K
Luminous flux	1260 LM
Typ CRI	85
IP class	20
Dimensions	Ø 14.5" x 5.1" H
Materials	glass + metal

Codes

M342LED


Structure/Diffuser

White/Opal White Glass

PACKAGE

Package 01	Dimension: 19" x 19" x 15" inches / Gross weight: 11 lbs
------------	--


Certificazioni



LAMPING

Codes	Structure/Diffuser
M330LED	White/Opal White Glass

Package 01 Dimension: 13" x 13" x 9" inches / Gross weight: 4 lbs



10" INCANDESCENT


LAMPING

Source	2 X 40W E26
Total power	2 X40W
Emission	DIFFUSED
Switching	dimnable
Tension	120V
IP class	20
Dimensions	Ø 10" x 4.2" H
Materials	glass + metal
Codes	Structure/Diffuser
M334	White/Opal White Glass

PACKAGE

Package 01	Dimension: 16" x 16" x 7" inches / Gross weight: 4 lbs
------------	--

Certificazioni



12" INCANDESCENT

LAMPING

Source	2 X 40W E26
Total power	2 X40W
Emission	DIFFUSED
Switching	dimnable
Tension	120V
IP class	20
Dimensions	Ø 12" x 4.3" H
Materials	glass + metal

Codes

M338

Structure/Diffuser


White/Opal White Glass

PACKAGE

Package 01

Dimension: 16" x 16" x 7" inches / Gross weight: 6 lbs

Certificazioni



14.5" INCANDESCENT


LAMPING

Source	2 X 60W E26
Total power	2 X60W
Emission	DIFFUSED
Switching	dimnable
Tension	120V
IP class	20
Dimensions	Ø 14.5" x 5.1" H
Materials	glass + metal
Codes	Structure/Diffuser
M342	White/Opal White Glass

PACKAGE

Package 01	Dimension: 19" x 19" x 15" inches / Gross weight: 11 lbs
------------	--

Certificazioni



16.5" INCANDESCENT


LAMPING

Source	2 X 60W E26
Total power	2 X60W
Emission	DIFFUSED
Switching	dimmable
Tension	120V
IP class	20
Dimensions	Ø 16.5" x 5.1" H
Materials	glass + metal
Codes	Structure/Diffuser
M3468	White/Opal White Glass

PACKAGE

Package 01	Dimension: 19" x 19" x 15" inches / Gross weight: 11 lbs
------------	--

Certificazioni



18.5" INCANDESCENT

LAMPING

Source	2 X 75W E26
Total power	2 X75W
Emission	DIFFUSED
Switching	dimnable
Tension	120V
IP class	20
Dimensions	Ø 18.5" x 5.1" H
Materials	glass + metal
Codes	Structure/Diffuser
M346	White/Opal White Glass

PACKAGE

Package 01	Dimension: 24" x 24" x 19" inches / Gross weight: 17 lbs
------------	--

Certificazioni

