Bodiam 24 Suspension LED

DESCRIPTION

Inspired by large medieval cast iron chandeliers, the Bodiam chandelier by Tech Lighting features a thick outer metal ring that houses dual stacked rows of inward firing LEDs. These LEDs are treated with a special linear spread diffuser to create a unique twinkling effect while evenly distributing the light and minimizing glare. With a glare-free light distribution the Bodiam chandelier is ideal for family room lighting, foyer lighting and a number of commercial lighting applications. The 24- and 30inch diameter Chandeliers are offered in three finishes and the Bodiam 48-inch diameter chandelier is offered in two finishes. Install independently or clustered together for an enhanced look. Lamping options are compatible with most dimmers. Refer to Dimming Chart for more information. Includes 15.1 watt, 1062 delivered lumens, 3000K LED module. Dimmable with most LED compatible ELV and TRIAC dimmers. Fixture provided with twelve feet of field-cuttable cable to match finish selection.



INSTALLATION

This product can mount to either a 4" square electrical box with round plaster ring or an octagonal electrical box (not included). Minimum Hanging Height: 24"



satin nickel brass

ORDERING INFORMATION



©2019 Tech Lighting, L.L.C. All Rights Reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C. Tech Lighting reserves the right to change specifications for product improvements without notification.

Bodiam 30 Suspension [100]

DESCRIPTION

Inspired by large medieval cast iron chandeliers, the Bodiam chandelier by Tech Lighting features a thick outer metal ring that houses dual stacked rows of inward firing LEDs. These LEDs are treated with a special linear spread diffuser to create a unique twinkling effect while evenly distributing the light and minimizing glare. With a glare-free light distribution the Bodiam chandelier is ideal for family room lighting, foyer lighting and a number of commercial lighting applications. The 24- and 30inch diameter Chandeliers are offered in three finishes and the Bodiam 48-inch diameter chandelier is offered in two finishes. Install independently or clustered together for an enhanced look. Lamping options are compatible with most dimmers. Refer to Dimming Chart for more information. Includes 23.6 watt, 1339 delivered lumens, 3000K LED module. Dimmable with most LED compatible ELV and TRIAC dimmers. Fixture provided with twelve feet of field-cuttable cable to match finish selection.



INSTALLATION

This product can mount to either a 4" square electrical box with round plaster ring or an octagonal electrical box (not included). Minimum Hanging Height: 24"

WEIGHT

10-10lb / 4.54-4.54kg ±



ORDERING INFORMATION

700BOD	SHAPE OR SIZE		FINISH	LAMP
	30	30" DIAMETER	Z ANTIQUE BRONZE S SATIN NICKEL	-LED930 INTEGRATED LED 90 CRI 3000K 120V (T24)
	7 S		► HTING [®] T 847.410.4400 F 847.410.4500	700BOD FIXTURE TYPE: JOB NAME: NOTES:



©2019 Tech Lighting, L.L.C. All Rights Reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C. EIDus Tech Lighting reserves the right to change specifications for product improvements without notification

Bodiam 48 Suspension

DESCRIPTION

Inspired by large medieval cast iron chandeliers, the Bodiam chandelier by Tech Lighting features a thick outer metal ring that houses dual stacked rows of inward firing LEDs. These LEDs are treated with a special linear spread diffuser to create a unique twinkling effect while evenly distributing the light and minimizing glare. With a glare-free light distribution the Bodiam chandelier is ideal for family room lighting, foyer lighting and a number of commercial lighting applications. The 24- and 30inch diameter Chandeliers are offered in three finishes and the Bodiam 48-inch diameter chandelier is offered in two finishes. Install independently or clustered together for an enhanced look. Lamping options are compatible with most dimmers. Refer to Dimming Chart for more information. Includes 34.2 watt, 2308 delivered lumens, 3000K LED module. Dimmable with most LED compatible ELV and TRIAC dimmers. Fixture provided with twelve feet of field-cuttable cable to match finish selection.



INSTALLATION

This product can mount to either a 4" square electrical box with round plaster ring or an octagonal electrical box (not included). Minimum Hanging Height: 24"



antique bronze satin nickel

ORDERING INFORMATION



©2019 Tech Lighting, L.L.C. All Rights Reserved. The "Tech Lighting" graphic is a registered trademark of Tech Lighting, L.L.C. Tech Lighting reserves the right to change specifications for product improvements without notification.