

lightology.com 866-954-4489 09-14-25

| Project: | Project: | | | |
|--------------------------|---------------|--|--|--|
| Company: | | | | |
| Location: | Fixture Type: | | | |
| SPEC #: JUN110969 | | | | |
| Approved On: | Approved By: | | | |

IC1LEDG4 4 In 600 Lumen IC New Construction Housing 120V By Juno Lighting









Description

4 Inch 120 Volt Generation 4 600 Lumen LED IC New Construction Housing is a dedicated LED, Air-Loc sealed new construction housing with integral light engine. Shallow housing allows for fit in 2 x 6 construction. IC new construction housing can be completely covered with insulation. Fully sealed housing stops infiltration and exfiltration of air reducing heating and air cooling costs without the use of additional gaskets. Replaceable light engine mounts directly to housing and incorporates the latest generation high lumen output LED array. Comparable light output to 65 watt incandescent while consuming only 11.5 watts. Available with 2700K, 3000K, 3500K, or 4100K color temperature, 90 minimum CRI. 120 volt only driver is dimmable with the use of most incandescent, magnetic low voltage and electronic low voltage wall box dimmers (see attached manufacturer dimmer compatibility reference). Life rated for 50,000 hours at 70 percent lumen maintenance. Energy Star. Title 24 compliant with select trims. UL listed for damp locations. 12.25 inch length x 6.75 inch width x 6 inch height. A complete fixture includes a housing and trim, sold separately.


Specifications

| REFLECTOR/BAFFLE COLOR | | | | | | |
|------------------------|--|--|--|--|--|--|
| BODY FINISH | | | | | | |
| WATTAGE | | | | | | |
| DIMMER Dimmable | | | | | | |
| DIMENSIONS | | | | | | |
| INTEGRATED LED MODULE | | | | | | |

Technical Information

| HOUSING HEIGHT |
|----------------------------------|
| HOUSING TYPE New construction IC |
| CEILING TYPE Drywall with Trim |
| LAMP LIFE |
| COLOR RENDERING |
| LAMP COLOR |
| LUMENS/WATT |
| LUMINOUS FLUX |







CLICK TO VIEW PRODUCT

| Notes: | | | |
|--------|--|--|--|
| | | | |