

Lightology

lightology.com
866-954-4489
05-21-26

Project: _____

Company: _____

Location: _____ Fixture Type: _____

SPEC #: **ELE1186234**

Approved On: _____ Approved By: _____

E4 Pro 4IN RD Flanged Adjustable New Construction Housing By Visual Comfort Architectural



Description

The Element 4IN Pro Series Adjustable LED Housing for flanged trims is a versatile fixture suitable for a variety of new construction uses. The housing is available in IC Airtight, Non-IC Airtight, Chicago Plenum, or Chicago Plenum Non-IC Airtight with an emergency backup battery. Lockable, tool free aiming allows the light to be angled up to 40 degrees and rotated 360 degrees. Light sources are available in a variety of static white color temperatures, 3000K-1800K Warm Dim, or 2700K-5000K Tunable White, as well as 18, 25, 40, or 60 degree beam spreads, to provide the perfect lighting for any application. Static White and Warm Dim housings include a Universal 120-277V driver, dimmable with standard reverse-phase, forward-phase, TRIAC, and 0-10V dimming. The Tunable White housing includes a eldoLED 120-277V driver, dimmable with 0-10V dimmers only. Note: A complete fixture requires a housing and flanged trim, sold separately.

Specifications

REFLECTOR/BAFFLE COLOR	N/A
BODY FINISH	Black Powder Coat
WATTAGE	8W
DIMMER	Low Voltage Electronic
DIMENSIONS	11.5"W x 5.3"H x 6.2"D
INTEGRATED LED MODULE	1 x LED/8W/120-277V LED

Technical Information

APERTURE SHAPE	Round
HOUSING HEIGHT	6"
HOUSING TYPE	Chicago plenum approved
CEILING TYPE	Drywall with Trim
FUNCTION	Adjustable Accent
LAMP LIFE	50000 hours
BEAM ANGLE	18°
COLOR RENDERING	90 CRI
LAMP COLOR	2700K
LUMENS/WATT	84.38
LUMINOUS FLUX	675 lumens



Shown in black powder coat



CLICK TO VIEW PRODUCT

Notes: