

# Lightology

lightology.com  
866-954-4489  
08-18-25

Project: \_\_\_\_\_  
Company: \_\_\_\_\_  
Location: \_\_\_\_\_ Fixture Type: \_\_\_\_\_  
SPEC #: **EDG1201023**  
Approved On: \_\_\_\_\_ Approved By: \_\_\_\_\_

## TruLine 1.6A 24VDC Plaster-In LED System

By PureEdge Lighting



### Description

The TruLine 1.6A, a versatile 24VDC linear plaster-in LED system, creates glare-free indoor architectural lighting. TruLine recesses into 5/8 inch drywall without any joist modification. The slim extrusions, LED strips, and lenses are field-cuttable. Includes 5 (2x2.5 watts) or 10 (2x5 watts) per foot LED with color temperature options in 2700K Static White, 3000K Static White, and 2700K or 3000K Warm Dim (to 1800K, in 10W/ft only). Can be run in vertical, horizontal and diagonal directions. Included components: TruLine 1.6A channel(s), LED Soft Strip, TL1.6A Junction Box, Take-Up Box, Adjustable Mounting Bars, Mounting Strap, Power End Cap, Drywall Screw, and Lenses. System requires a 24 volt electronic low voltage (ELV) PS-60L-ELV-24VDC power supply (ELV dimming) which fits inside junction box or remote Universal (UNI) power supply (TRIAC/ELV/0-10V dimming), sold separately. Note: Required power supply, dimmer, and optional mounting components sold separately. Product is built to order

### Specifications



COLOR . . . . . N/A  
BODY FINISH . . . . . White  
WATTAGE . . . . . 20W  
DIMMER . . . . . Low Voltage Electronic  
DIMENSIONS . . . . . 48"L x 3.73"W x 0.63"H  
INTEGRATED LED MODULE . . . . . 4 x LED/5W/24V LED

### Technical Information

LAMP LIFE . . . . . 50000 hours  
LAMP COLOR . . . . . 2700K  
LUMENS/WATT . . . . . 368.80  
LUMINOUS FLUX . . . . . 1844 lumens



Shown in white



CLICK TO VIEW PRODUCT

Notes: