

# Lightology

lightology.com  
866-954-4489  
06-30-26

Project: \_\_\_\_\_  
 Company: \_\_\_\_\_  
 Location: \_\_\_\_\_ Fixture Type: \_\_\_\_\_  
 SPEC #: **WAC1206014**  
 Approved On: \_\_\_\_\_ Approved By: \_\_\_\_\_

## FQ 2 inch Round Adjustable Downlight with Trim By WAC Lighting



### Description

The FQ 2 Inch Round With Trim Adjustable Downlight Trim is designed for use with FQ 2 Inch Series of recessed housings by WAC Lighting. This high performance LED luminaire will provide quality lighting in both commercial and residential settings. Features glare control with 30 degree shielding, 35 degree vertical tilting and 365 degree horizontal rotation. Ceiling cutout: 3.5 inch. Accommodates 0.5 to 1 inch ceiling thickness. Dimmable with TRIAC and ELV at 120V. Dimmable with 0-10V at 277V. Note 1: Field changeable beam angle with reflectors provided (25 degree, 40 degree, 55 degree). Lumens shown are based on 40 degree beam angle. Note 2: A complete fixture requires the trim and a housing, sold separately.

### Specifications

REFLECTOR/BAFFLE COLOR . . . . . N/A  
 BODY FINISH . . . . . Dark Bronze  
 WATTAGE . . . . . N/A  
 DIMMER . . . . . Low Voltage Electronic  
 DIMENSIONS . . . . . 4"W x 5"H  
 INTEGRATED LED MODULE . . . . . 1x LED/120-277V LED

### Technical Information

APERTURE SHAPE . . . . . Round  
 CEILING TYPE . . . . . Drywall with Trim  
 FUNCTION . . . . . Adjustable Accent  
 LAMP LIFE . . . . . 50000 hours  
 BEAM ANGLE . . . . . 40°  
 COLOR RENDERING . . . . . 90 CRI  
 LAMP COLOR . . . . . 3500K  
 LUMINOUS FLUX . . . . . 1820 lumens



Shown in dark bronze

Model	Beam	Lumens	°CRP	Color Temp	DR	Finish	Reflector/Trim
REFLECT Round Trim	M 25°	1715	4510	927	2700K	90	Black Dark Bronze Alpine/White White
	P 40°	1695	2900				
	W 55°	1700	2180				
	M 25°	1825	4760	930	3500K	90	
	P 40°	1785	3055				
	W 55°	1795	2395				
M 25°	1865	4855	935	3500K	90		
P 40°	1820	3115					
W 55°	1830	2340					

Field changeable beam angles (25/40/55 degree) - reflectors provided  
 Lumens shown based on 40degree beam angle at 25 watts



CLICK TO VIEW PRODUCT

Notes: