

Lightology

lightology.com
866-954-4489
07-02-25

Project: _____
 Company: _____
 Location: _____ Fixture Type: _____
 SPEC #: **WAC1362258**
 Approved On: _____ Approved By: _____

FQ 4IN Square Downlight with Trim By WAC Lighting



Description

The FQ 4 Inch Square Downlight with Trim is designed for use with FQ 4 Inch Series of recessed housings by WAC Lighting. Features 30 degree shielding angle design for great visual comfort. Field changeable beam angle (2700K/3000K/3500K = 27/40/50 degree (27 degree pre-installed) / Warm Dim = 30/50 degree (30 degree pre-installed) with reflectors provided. Accepts one lens or glare control accessory. Ceiling cutout: 4 3/4 inch. Accommodates 0.5 to 1 inch ceiling thickness. Dimmable 100% to 1% with ELV, TRIAC, and 0-10V dimmers. NOTE: A complete fixture requires a trim and a housing, sold separately. Refer to spec sheet for lumen calculation to determine wattage for housing.

Specifications


COLOR	N/A
BODY FINISH	Black
WATTAGE	N/A
DIMMER	Low Voltage Electronic
DIMENSIONS	5.25"W x 5.25"H
BULB NOT INCLUDED	1x LED/120-277V LED

Technical Information

APERTURE SIZE	3.000"
APERTURE SHAPE	Square
CEILING TYPE	Drywall with Trim
FUNCTION	Downlight
LAMP LIFE	50000 hours
COLOR RENDERING	90 CRI
LAMP COLOR	2700K
LUMINOUS FLUX	2325 lumens



Shown in black



CLICK TO VIEW PRODUCT

Notes: