

Lightology

lightology.com
866-954-4489
12-10-25

Project: _____
Company: _____
Location: _____ Fixture Type: _____
SPEC #: **EDG1486164**
Approved On: _____ Approved By: _____

Verge Ceiling Tunable White Drywall Plaster-In System 24V

By PureEdge Lighting



Description

Verge Corner Tunable White 2K6K (2000K-6500K color temperature) features an innovative design that mounts directly to wall studs or ceiling joists without any modification, and is recessed and plastered into 5/8 inch or thicker drywall. The Verge system creates visually interesting and dramatic illumination by highlighting the inside corners of two drywall surfaces. Sold in 5 foot increments (available in 1 foot increments) up to 40 feet (5 Watt), up to 20 feet (10 Watt), and 12 feet (14 Watt), and is field-cuttable. Included components: Junction Box, Adjustable Mounting Bars, Backer Plate, Verge Channel, Drywall Screws, LED Strip, and Lens(es). Features a 4 inch paintable backer plate. NOTE: A DMX 2XK color changing power supply or 2XK 2-channel 0-10V power supply is required and sold separately. 0-10V power supply requires two dimmers --one for intensity and one for color temperature. DMX power supply must be used with PureEdge Tunable White controller.

Specifications


COLOR N/A
BODY FINISH White
WATTAGE 10W
DIMMER N/A
DIMENSIONS 60"L x 0.88"W x 0.75"H
INTEGRATED LED MODULE 5 x LED/2W/24V LED

Technical Information

LAMP LIFE 50000 hours
COLOR RENDERING 91 CRI
LAMP COLOR 2000K-6000K Tunable White
LUMENS/WATT 130.00
LUMINOUS FLUX 260 lumens



Shown in white



CLICK TO VIEW PRODUCT

Notes: