

Lightology

lightology.com
866-954-4489
08-23-25

Project: _____

Company: _____

Location: _____ Fixture Type: _____

SPEC #: **JUN25872**

Approved On: _____ Approved By: _____

IC1 4 Inch IC New Construction Housing

By Juno Lighting



Description

IC1 4 Inch IC Air-Loc New Construction Housing features a double wall aluminum housing. Inner housing is vertically adjustable to accommodate up to a 1.75 inch ceiling thickness. IC designation allows for housing to be completely covered with insulation. Air-Loc rated housing stops infiltration and exfiltration of air, reducing heating and cooling. Does not require separate ALG gasket. Lamp type and wattage dependent on housing/trim combination (see attached manufacturer specification). UL Listed for through-branch wiring and damp locations. Wet location listed with specific trims. GU10 whip required for use with GU10 MR16 lamp trim. 12.25 inch length x 6.75 inch width x 6 inch height. A complete housing requires a housing and trim, sold separately.

Specifications



REFLECTOR/BAFFLE COLOR	N/A
BODY FINISH	Aluminum
WATTAGE	60W
DIMMER	Standard 120V
DIMENSIONS	12.25"L x 6.75"W x 6"H
BULB NOT INCLUDED	1 x PAR16/Medium (E26)/60W/120V Halogen
OTHER BULB OPTIONS	1 x PAR16/Medium (E26)/120V LED 1 x PAR20/Medium (E26)/120V Halogen 1 x PAR20/Medium (E26)/120V LED 1 x MR16/GU10/120V Halogen 1 x MR16/GU10/120V LED 1 x R20/Medium (E26)/120V Incandescent 1 x R20/Medium (E26)/120V LED

Technical Information

PRODUCT DIMENSIONS	Cutout: 4.50 inch
HOUSING HEIGHT	6"
HOUSING TYPE	New construction IC
CEILING TYPE	Drywall with Trim



Shown in aluminum



4 1/2" CEILING CUTOUT



CLICK TO VIEW PRODUCT

Notes: