

lightology.com  
866-954-4489  
12-28-25

Project: \_\_\_\_\_

Company: \_\_\_\_\_

Location: \_\_\_\_\_ Fixture Type: \_\_\_\_\_

SPEC #: JUN25872

Approved On: \_\_\_\_\_ Approved By: \_\_\_\_\_

# IC1 4 Inch IC New Construction Housing

By Juno Lighting



### Description

IC1 4 Inch IC Air-Loc New Construction Housing features a double wall aluminum housing. Inner housing is vertically adjustable to accommodate up to a 1.75 inch ceiling thickness. IC designation allows for housing to be completely covered with insulation. Air-Loc rated housing stops infiltration and exfiltration of air, reducing heating and cooling. Does not require separate ALG gasket. Lamp type and wattage dependent on housing/trim combination (see attached manufacturer specification). UL Listed for through-branch wiring and damp locations. Wet location listed with specific trims. GU10 whip required for use with GU10 MR16 lamp trim. 12.25 inch length x 6.75 inch width x 6 inch height. A complete housing requires a housing and trim, sold separately.

## Specifications


REFLECTOR/BAFFLE COLOR	N/A
BODY FINISH	Aluminum
WATTAGE	60W
DIMMER	Standard 120V
DIMENSIONS	12.25"L x 6.75"W x 6"H
BULB NOT INCLUDED	1 x PAR16/Medium (E26)/60W/120V Halogen
OTHER BULB OPTIONS	1 x PAR16/Medium (E26)/120V LED 1 x PAR20/Medium (E26)/120V Halogen 1 x PAR20/Medium (E26)/120V LED 1 x MR16/GU10/120V Halogen 1 x MR16/GU10/120V LED 1 x R20/Medium (E26)/120V Incandescent 1 x R20/Medium (E26)/120V LED

## Technical Information

PRODUCT DIMENSIONS . . . . .	Cutout: 4.50 inch
HOUSING HEIGHT . . . . .	6"
HOUSING TYPE . . . . .	New construction IC
CEILING TYPE . . . . .	Drywall with Trim



Shown in aluminum

[CLICK TO VIEW PRODUCT](#)

Notes: