

Lightology

lightology.com
866-954-4489
07-03-25

Project: _____
Company: _____
Location: _____ Fixture Type: _____
SPEC #: **JUN26374**
Approved On: _____ Approved By: _____

TC1 4 Inch Non-IC New Construction Housing By Juno Lighting



Description

TC1 4 inch Non-IC New Construction Housing is designed for use in non-insulated areas. If installed where insulation is present, the insulation must be pulled back 3 inches from all sides of the housing. Accommodates ceiling thickness up to 1.25 inch. One 120 volt, PAR20, R20, PAR16, R14 intermediate or R16 intermediate medium base halogen/incandescent or LED equivalent are required, but not included. GU10 MR16 halogen or LED equivalent option available when used with GU10 socket whip accessory. Halogen/incandescent lamps dimmable with a standard incandescent dimmer. Consult lamp manufacturer for dimmer compatibility when using LED equivalent lamp. UL listed for through-branch wiring, damp locations and IP. Trims 11, 12, 4101, 4012 and 4181 are wet location approved for covered ceiling applications. Trims 14 and 17 are wet location approved for covered ceiling applications when used with outdoor rated lamps. 12.1 inch length x 6.75 inch width x 5.4 inch height. A complete fixture includes a housing and trim, sold separately.

Specifications


REFLECTOR/BAFFLE COLOR N/A
BODY FINISH Aluminum
WATTAGE N/A
DIMMER Dimmable
DIMENSIONS 11.75"L x 6.75"W x 5.25"H
BULB NOT INCLUDED 1 x PAR20/Medium (E26)/120V Halogen
OTHER BULB OPTIONS 1 x MR16/GU10/120V Halogen
1 x MR16/GU10/120V LED
1 x R16/E17 (Intermediate)/120V Incandescent
1 x PAR20/Medium (E26)/120V LED
1 x R14/E17 (Intermediate)/120V Incandescent
1 x R20/Medium (E26)/120V Incandescent
1 x R20/Medium (E26)/120V LED

Technical Information

PRODUCT DIMENSIONS Cutout: 4.50 inch
HOUSING HEIGHT 6"
HOUSING TYPE New Construction NON IC
CEILING TYPE Drywall with Trim



Shown in aluminum



CLICK TO VIEW PRODUCT

Notes: