



DESIGNER

Gregory Kay

BRAND

PureEdge Lighting

DESCRIPTION

Reveal Wall Wash is a 24VDC linear LED system featuring a shallow, plaster-in aluminum extrusion no thicker than drywall. Finish available in Satin Aluminum or White. Includes 6 watts RGB (Red, Blue, Green) and White 2000K color temperature LED per foot. Sold in 1 foot increments up to 16 feet and may be field-cut to any length. System may be powered using a remote RGB power supply with DMX driver including: 100, 2X100, 3X100 or 4X100 watt option. Compatible RGB controls include: (CTP) Touch Screen Controller with Power Supply, (CDP) Color Dial Controller with Power Supply, or (CDMX1-RGBW) DMX 1 Zone RGBW Touch Controller. Fixture includes a 5 year pro-rated warranty. ETL listed. System includes junction box, adjustable mounting bars, Reveal Wall Wash channel(s), power feed end cap, junction box cover, dead end cap, take-up box, drywall screws, LED Soft Strip, and lens(es). Order additional Junction Box (RVWW-IRE-JBOX) separately to rough-in electrical wiring before drywall installation, sold separately. Required power supply and controller sold separately. Product is built to order.



SHADE COLOR	N/A
BODY FINISH	Satin Aluminum
WATTAGE	6W
DIMMER	N/A
DIMENSIONS	12"L x 3.57"W x 0.62"H
INTEGRATED LED MODULE	
LAMP	1 x LED/24V LED

Technical Information


LAMP COLOR	2000K
------------	-------

SPEC

EDG356601



INCLUDED COMPONENTS



- Junction Box:** Mounts behind drywall with Adjustable Mounting Bars, and includes a drywall template for accurate installation. Low voltage 24VDC wires from Remote Power Supply connect to LED wires inside box. Junction Box opening is concealed with the Reveal Wall Wash Junction Box cover, and is required at the beginning of each run.
- Adjustable Mounting Bars:** Provide flexibility for mounting in a variety of spaces.
- Reveal Wall Wash Channel:** 5/8 inch deep extrusion houses a single row of commercial-grade white or dynamic color-changing LED Soft Strip. See lamp data on for additional details.
- Power Feed End Cap:** Provides a connection area for 24VDC wires at beginning of run where LED Soft Strip enters channel.
- Junction Box Cover:** Conceals Junction Box opening. Required at the beginning of each run.
- Dead End Cap Plate:** Provides a finished look and prevents light leak at feed-end of run where LED Soft Strip exits channel.
- Take-Up Box:** Prevents dark spots at end of run by tucking excess LED Soft Strip safely behind wall.
- Drywall Screws:** Secure channel to drywall and stud.
- LED Soft Strip:** (Back side shown) Commercial grade white or dynamic color-changing LED Soft Strip. See lamp data on for additional details.
- Lens:** .74 inch wide diffuser lens projects a clean line of light without LED dots.

COMPANY

PROJECT

FIXTURE TYPE

APPROVED BY

DATE