



lightology.com  
866-954-4489  
04-24-26

Project: \_\_\_\_\_  
Company: \_\_\_\_\_  
Location: \_\_\_\_\_ Fixture Type: \_\_\_\_\_  
SPEC #: **EDG505259**  
Approved On: \_\_\_\_\_ Approved By: \_\_\_\_\_

## 50W 24VDC Constant Voltage LED Power Supply

By PureEdge Lighting




### Description



The PS-60L-ELV-24VDC is a compact, lightweight remote electronic 50 watt (max load 50 watt) 24 volt LED power supply which converts standard 120VAC voltage to 24VDC, and features built-in short circuit and overload protection. Certified to be used inside a standard junction box enclosure. To avoid overheating the power supply, install it in a ventilated remote location where air flows. Maintain proper spacing among power supplies when multiple power supplies are installed in the same remote location. Power Input: 120 volts AC, 60Hz. Power Output: Class 2, 24 volts DC 2.5A 50 watt max. For indoor applications only. ETL listed. May be dimmed with an electronic low voltage dimmer. Recommended dimmers include Lutron Diva DVELV-300P, Lutron Skylark SELV-300P, or Lutron Maestro MAELV-600, sold separately. For indoor use only. Note: 50 Watt Max Load Note: Electrical panels using Seimens/Murray AFCI breakers are not compatible with this ELV transformer. Use UNI driver power supplies with this breaker. ELV power supplies are not compatible with nLight, use only 0-10 volt or Uni driver power supplies.

### Specifications

COLOR	N/A
BODY FINISH	Black
WATTAGE	50W
DIMMER	Low Voltage Electronic
DIMENSIONS	2.25"W x 0.83"H x 1.27"D
BULB NOT INCLUDED	N/A



Shown in black



CLICK TO VIEW PRODUCT

Notes: