

lightology.com 866-954-4489 07-02-25

| Project:                 |               |
|--------------------------|---------------|
| Company:                 |               |
| Location:                | Fixture Type: |
| SPEC #: <b>EDG505259</b> |               |
| Approved On:             | Approved By:  |

## 50W 24VDC Constant Voltage LED Power Supply By PureEdge Lighting




## Description


The PS-60L-ELV-24VDC is a compact, lightweight remote electronic 50 watt (max load 50 watt) 24 volt LED power supply which converts standard 120VAC voltage to 24VDC, and features built-in short circuit and overload protection. Certified to be used inside a standard junction box enclosure. To avoid overheating the power supply, install it in a ventilated remote location where air flows. Maintain proper spacing among power supplies when multiple power supplies are installed in the same remote location. Power Input: 120 volts AC, 60Hz. Power Output: Class 2, 24 volts DC 2.5A 50 watt max. For indoor applications only. ETL listed. May be dimmed with an electronic low voltage dimmer. Recommended dimmers include Lutron Diva DVELV-300P, Lutron Skylark SELV-300P, or Lutron Maestro MAELV-600, sold separately. For indoor use only. Note: 50 Watt Max Load Note: Electrical panels using Seimens/Murray AFCI breakers are not compatible with this ELV transformer. Use UNI driver power supplies with this breaker. ELV power supplies are not compatible with nLight, use only 0-10 volt or Uni driver power supplies.


## Specifications

| COLOR                         |
|-------------------------------|
| BODY FINISH                   |
| WATTAGE                       |
| DIMMER Low Voltage Electronic |
| DIMENSIONS                    |
| BUILB NOT INCLUDED.           |



Shown in black







**CLICK TO VIEW PRODUCT** 

| Notes: | es: |  |  |
|--------|-----|--|--|
| Notes: | es: |  |  |