

Lightology

lightology.com
866-954-4489
12-09-25

Project: _____
Company: _____
Location: _____ Fixture Type: _____
SPEC #: **EDG569411**
Approved On: _____ Approved By: _____

TruLine 1A 5W 24V Tunable White 2K6K Plaster-In LED System

By PureEdge Lighting



Description



TruLine 1A Tunable White Plaster-In 24VDC LED system provides smooth and glare-free general illumination using designer-grade high CRI LEDs. TruLine 1A recesses within 5/8 inch drywall without any joist modification. The slim extrusions, LED strips, and lenses are available in 1 foot increments up to 20 feet (before re-feeding) and are field-cuttable. Includes 5 watts/foot LED module in 2K6K 2000K-6500K Tunable White color temperature option. Product is built to order. Included components: Junction Box, Adjustable Mounting Bars, TruLine 1A Channel(s), End Cap, Take-Up Box, Mounting Straps, Drywall Screws, LED Soft Strip, and Lens(es). Can be installed on a single surface, join runs on multiple planes from wall to ceiling, or from one wall to an adjacent wall. Use TruLine 1A Build-It-Yourself (BIY) with pre-formed components to create desired configurations including mitered picture frame and outside or inside corners for room wrapping installations. Note: A DMX color changing power supply or 2XK 0-10V 2-Channel power supply is required and sold separately. 0-10V requires two dimmers -- one for intensity and one for color temperature. DMX power supply must be used with PureEdge controller (CDMX1-2XK).

Specifications

COLOR N/A
BODY FINISH White
WATTAGE 5W
DIMMER Dimmable
DIMENSIONS 12"L x 2.65"W x 0.63"D
INTEGRATED LED MODULE 1 x LED/5W/24V LED

Technical Information

LAMP LIFE 50000 hours
COLOR RENDERING 90 CRI
LAMP COLOR Tunable White
LUMENS/WATT 50.00
LUMINOUS FLUX 250 lumens



Notes: