

Lightology

lightology.com
866-954-4489
04-25-26

Project: _____
 Company: _____
 Location: _____ Fixture Type: _____
 SPEC #: **EDG711918**
 Approved On: _____ Approved By: _____

Nova Up/Down Warm Dim Suspension w/Center Feed Power

By PureEdge Lighting



Description

Nova Up/Down Warm Dim Suspension with Center Feed Power is a linear LED suspension offering direct and indirect light in a clean and contemporary architectural style. Downlight features a diffused white lens with 100 degree beam spread or a clear frosted lens with a 60 degree beam spread. The uplight features a clear frosted 60 degree lens. Both the up and downlight can be dimmed together or independently. Available in various increments from 36 to 120 inches, a variety of finishes, 10 LED watts per foot (5 up/5 down), an optional black or white louver, and Warm Dim 2700K to 2000K (27D) or 3000K to 2000K (30D) color temperature. Fixture includes adjustable 12 foot aircraft suspension cables and a linear rectangle canopy. Fixtures over 72 inch in length include two additional aircraft cables for support. Includes a 120V input/24VDC output Universal (UNI) power supply inside canopy. Dimmable with an electronic low voltage (ELV), Triac (magnetic), or 0-10V dimmer, sold separately. Note: Product is built to order.

Specifications


COLOR White Lens
 BODY FINISH Satin Nickel
 WATTAGE 30W
 DIMMER Low Voltage Electronic
 DIMENSIONS 36"L x 1.24"W x 2.23"H
 INTEGRATED LED MODULE 3 x LED/10W/24V LED

Technical Information

LAMP LIFE 50000 hours
 COLOR RENDERING 95 CRI
 LAMP COLOR 2700K Warm Dim
 LUMENS/WATT 170.70
 LUMINOUS FLUX 1707 lumens



Shown in satin nickel / white lens



CLICK TO VIEW PRODUCT

Notes: