

Lightology

lightology.com
866-954-4489
08-19-25

Project: _____
Company: _____
Location: _____ Fixture Type: _____
SPEC #: **EDG764611**
Approved On: _____ Approved By: _____

Zipp Suspension with Remote Power/4IN End Feed Canopy

By PureEdge Lighting



Description

Zipp Remote Power Downlight Suspension with a 4 Inch Square or Round End Feed Canopy is a linear LED fixture that offers spot-free, direct light in a clean, contemporary style. Zipp is available in various increments from 48 to 480 inches and features a diffused white lens with 100 degree beam or clear frosted lens with 60 degree beam, optional black or white louver, a variety of finishes, three wattage options, and a spectrum of color temperature options including Warm Dim 2700K-2000K (27D) and 3000K-2000K (30D) color temperature. Unlike standard LEDs, Warm Dim LEDs are designed to shift to a warmer color temperature as they are dimmed, replicating the effects of incandescent and halogen light sources. 84 inch maximum length for Chrome finish. Fixture includes a 5 year warranty. Product is built to order. Note: Warm Dim available in 5 watt option only. Note: Canopy mounts to a standard junction box either using the PS-60L-ELV-24VDC (60 Watt 24 Volt DC Power Supply) which fits inside junction box, or from a 24VDC remote Universal (UNI) power supply up to 100 watts at a maximum of 40 feet away. Universal dimming with UNI power supply (TRIAC/ELV/0-10V). ELV dimming with PS-60L-ELV power supply. Power supply, dimmer control, and optional accessories sold separately. Note: Includes one 4 inch square canopy and 12 foot adjustable coaxial cables. Lengths over 96 inches ship as two segments

Specifications


COLOR White Lens
BODY FINISH Satin Nickel
WATTAGE 56W
DIMMER Dimmable
DIMENSIONS 96"L x 0.7"W x 0.7"H
INTEGRATED LED MODULE 8 x LED/7W/24V LED

Technical Information

COLOR RENDERING 95 CRI
LAMP COLOR 2700K
LUMENS/WATT 382.86
LUMINOUS FLUX 2680 lumens



Shown in satin nickel / white lens



CLICK TO VIEW PRODUCT

Notes: