

Lightology

lightology.com
866-954-4489
07-05-25

Project: _____
Company: _____
Location: _____ Fixture Type: _____
SPEC #: **NOR882755**
Approved On: _____ Approved By: _____

NL Series 6IN 12V MLV IC Airtight New Construction Housing

By Nora Lighting




Description

The NL Series 6 Inch 12 Volt IC Airtight New Construction Housing is constructed of steel and allows for adjustable ceiling thickness up to 1.38 inch. Rated for use with a 12 volt MR16 GU5.3 lamp. IC housings allow for direct contact with insulation. UL listed. Suitable for damp locations (or wet locations with designated trims). Meets or exceeds ASTM-283 Air-Tight requirements. Dimmable with an magnetic low voltage (MLV) dimmer, sold separately. A complete fixture requires a housing, trim and bulb, sold separately.



Shown in galvanized steel



Specifications

REFLECTOR/BAFFLE COLOR N/A
BODY FINISH Galvanized Steel
WATTAGE 50W
DIMMER Low Voltage Magnetic
DIMENSIONS 13.13"W x 7.75"H x 9.5"D
BULB INCLUDED 1 x MR16/GU5.3 (bipin)/50W/12V Halogen
OTHER BULB OPTIONS 1 x MR16/GU5.3 (bipin)/12V LED

Technical Information

APERTURE SIZE 6.000"
HOUSING HEIGHT 8"
HOUSING TYPE New construction IC Airtight
CEILING TYPE Drywall with Trim



CLICK TO VIEW PRODUCT

Notes: